

Safety Shoes



Sizes:

1 Sir Elmer	9.5 or 10
2 Sir Fred	9.5 or 10
3 Sir Delfin	9.5 or 10
4 Sir Abiel	9.5 or 10
5 Engr. Nikko	9.5 or 10
6 Engr. Arnel	10
7 Engr. Bryan	10
8 Engr. Joseph	8 or 9
9 Arch. Jolito	9
10 Ma'am Yam	7
11 Sir ED	7

Specification:

1. ASTM F2412/2413-2011 I/75 C/75 protection
2. Genuine leather upper with synthetic overlays and mesh panels
3. Steel toe front
4. Stitching accents
5. Meets ASTM F2413-2011 requirements
6. Mesh fabric boot lining
7. Shock absorbing midsole
8. Meets ASTM F1677-05 Mark II requirements
9. Electrical hazard protection
10. Lace up front closure
11. Pull on rear loop
12. Relaxed Fit® design
13. Slip resistant rubber traction outsole
14. Padded collar and tongue
15. Gel Infused Memory Foam cushioned footbed

Safety Jacket



Sizes:

1 Sir Elmer	M
2 Sir Fred	M
3 Sir Delfin	M
4 Sir Abiel	M
5 Engr. Nikko	M
6 Engr. Arnel	L
7 Engr. Bryan	M
8 Engr. Joseph	M
9 Arch. Jolito	M
10 Ma'am Yam	S
11 Sir ED	S

Specification:

1. 100% Cotton
2. Two way front zipper with snap over fly
3. With reflective stripe
4. Machine wash
5. Suitable for construction, mechanic work and etc..

Steel Meter Tape 100m



Specification:

- Long Tape Rule has a 100m x 3/8" blade
- High impact, high visibility yellow ABS case
- 3/8" (10mm) wide yellow blade with polymer coating for durability
- .0045" (.11mm) thick steel blade
- Easy wind drum
- Easy to read markings
- Lock ring recoils neatly into contoured case

Steel Meter Tape 80m



Specification:

- 1).Glued and folded over
- 2).Automatic blade lock, easy to work thumb button and push button
- 3).Fits hand comfortable
- 4).High precision and good wear-resistant of this rubber measuring tape
- 5).Assist tape measure with steel wire stop mechanism,making the blade mouth never broken and more duable
- 6).This New rubber measuring tape which has one stops is much more convenience

Safety Rainboots



Specification:

1. Waterproof PU Upper
2. Thermal insulated
3. PU Midsole
4. Hi poly-foam footbed
5. Puncture resistant
6. Composite toe and Electrical Hazard protection meets ASTM F2413-11 I/75 C/75 EH standards
7. Rubber Blue Diamond Technology outsole provides superior non-slip properties

Sizes:

1 Sir Elmer	M
2 Sir Fred	M
3 Sir Delfin	M
4 Sir Abiel	M
5 Engr. Nikko	M
6 Engr. Arnel	L
7 Engr. Bryan	M
8 Engr. Joseph	M
9 Arch. Jolito	M
10 Ma'am Yam	S
11 Sir ED	S

Filing Cabinet



- High Quality Cold Rolling Steel
- Finishing by Epoxy Powder Coating
- Knock down Structure
- Body Thickness : 0.5mm
- 1 X Base Shelf
- 4 X Internal Movable Shelves

