TERMS OF REFERENCE

SUPPLY AND DELIVERY OF ICT EQUIPMENT (Rebidding)

I. BACKGROUND

In compliance with the Republic Act. No. 9184 known as the "Government Procurement Reform Act", the PSHS-MRC will be conducting a public bidding for the supply and delivery of ICT Equipment.

II. OBJECTIVES

- Upgrade of older computer systems to enhance productivity and ensure compatibility to run newer programs efficiently.
- Installation of large-size TVs and relevant accessories for the Auditorium to enhance the visual experience of audiences during the presentation.
- Additional printers for offices which lack printer supply.
- A public address amplifier and accessories for the girls' dorm building are needed to power up the available speakers for the public address system.
- Multimedia camera and accessories to be used by the Multimedia Committee during school events and activities.
- Installation of the required AVR for the Lab building elevator to be operational and will protect the elevator electronic system in case of power failure.

III. APPROVED BUDGET FOR THE CONTRACT (ABC):

The Approved Budget for the Contract is **Two Million One Hundred Ninety Eight Thousand Pesos only (Php 2,198,00.00)** inclusive of all taxes.

IV. BIDDER'S QUALIFICATION

Bidders should have completed, within *two (2) years* from the date of submission and receipt of bids, a contract similar to the Project. *See PBD for further details.*

V. DELIVERABLES

Lot 1 - Six (6) 13-inch Laptop, three (3) computer system unit (set), one (1) HDMI over single CAT5/6 splitter (set), two (2) 85-inch 4K Ultra HD TV (set), two (2) 75-inch 4K Ultra HD TV 9 (set), one (1) DSLR Camera with Accessories (set), and fourteen (14) A3 Refill Ink Tank Multi-Function Center with Wireless & Ethernet Connectivity (set).

VI. TECHNICAL SPECIFICATIONS

LOT	DESCRIPTION	MINIMUM SPECIFICATIONS
	1. 13-inch laptop	Please see below
1	Duo access	ARM-based system on a chip (SoC) central processing unit (CPU) and graphics processing unit (GPU)
	Processor	with 8-core CPU, 10-core GPU, 16-core neural
	Momory	processing unit; 16 MB L2 Cache
	Memory	16GB unified memory
	Storage	256GB or Higher SSD storage
	Graphics	13.6-inch (diagonal) LED-backlit display with IPS technology, 2560-by-1664 native resolution at 224 pixels per inch with support for 1 billion colors, 500 nits brightness
	External Display	One external display with up to 6K resolution at 60Hz, Supported formats include HEVC, H.264, HDR with Dolby Vision, HDR10, and HLG
	Power Supply	Line voltage: 100V to 240V AC, Frequency: 50Hz to 60Hz
	Wireless	Wi-Fi 6 (802.11ax) ; Bluetooth 5.3
		Two Thunderbolt / USB 4 ports with support for: -Charging
	Ports	-DisplayPort -Thunderbolt 3 (up to 40Gb/s) -USB 4 (up to 40Gb/s) -USB 3.1 Gen 2 (up to 10Gb/s)
	Audio Capabilities	Four-speaker sound system, Wide stereo sound, Three-mic array with directional beamforming, 3.5 mm headphone jack with advanced support for high-impedance headphones
	Audio Format	Audio playback: Supported formats include AAC, MP3, Lossless, FLAC, Dolby Digital, Dolby Digital Plus, and Dolby Atmos
	Webcam	1080p HD camera
	Battery	Up to 18 hours movie playback Up to 15 hours wireless web 52.6-watt-hour lithium-polymer battery, including 70W USB-C Power Adapter
	Power Supply	Line voltage: 100V to 240V AC, Frequency: 50Hz to 60Hz
	Height	0.44 inch (1.13 cm)
	Width	11.97 inches (30.41 cm)

Depth Weight 2.7 pounds (1.24 kg) Keyboard Backlit Keyboard with Touch fingerprint - English Security Color Options 2-midnight black, 2 space gray, 3 silver finicolor Additional Features With 1-year warranty Processor Intel Core i7-12700F Raptor Lake Socket L 1700 Processor Socket LGA 1700, Supports up to 128GB DE Memory, up to 4800+(OC) MHz Ddr4, 2 N slots, 4 SATA III, 1 PCI-E X1, 2 PCI-E X16, DisplayPort, 2 HDMI ports. With WIFI. for factor: MATX Memory 32gb 4x8 3200mhz Ddr4 RGB Memory Wh Core Clock: 2475 MHz (Reference card: 24 MHz), Cores: 3072, Memory Clock: 17 Gbp Memory Size: 8 GB, Memory Type: GDDR0 Memory Bus: 128 bit, Card Bus:PCI-E 4.0, Di max resolution: 7680x4320, Multi-view: 4, J Form: ATX, DirectX: 12 Ultimate, OpenGL: 4 DisplayPort 1.4a*2, HDMI 2.1a*2.	Sh GA R4
Backlit Keyboard with Touch fingerprint - English	Sh GA R4
Security Color Options 2-midnight black, 2 space gray, 3 silver finical color Additional Features With 1-year warranty Please see below Intel Core i7-12700F Raptor Lake Socket L 1700 Processor Socket LGA 1700, Supports up to 128GB DE Memory, up to 4800+(OC) MHz Ddr4, 2 Memory, up to 4800+(OC) MHz Ddr4, 2 Memory Leave Socket L Socket	GA R4 I.2
Additional Features Processor Socket LGA 1700, Supports up to 128GB DE Memory, up to 4800+(OC) MHz Ddr4, 2 Motherboard Memory Me	GA R4 I.2
2. Computer System Unit Processor Intel Core i7-12700F Raptor Lake Socket L 1700 Processor Socket LGA 1700, Supports up to 128GB DE Memory, up to 4800+(OC) MHz Ddr4, 2 M slots, 4 SATA III, 1 PCI-E X1, 2 PCI-E X16, DisplayPort, 2 HDMI ports. With WIFI. for factor: MATX Memory 32gb 4x8 3200mhz Ddr4 RGB Memory Wh Core Clock: 2475 MHz (Reference card: 24 MHz), Cores: 3072, Memory Clock: 17 Gbp Memory Size: 8 GB, Memory Type: GDDR0 Memory Bus: 128 bit, Card Bus:PCI-E 4.0, Di max resolution: 7680x4320, Multi-view: 4, J Form: ATX, DirectX: 12 Ultimate, OpenGL: 4 DisplayPort 1.4a*2, HDMI 2.1a*2.	R4 [.2 2
Intel Core i7-12700F Raptor Lake Socket L 1700 Processor Socket LGA 1700, Supports up to 128GB DE Memory, up to 4800+(OC) MHz Ddr4, 2 M slots, 4 SATA III, 1 PCI-E X1, 2 PCI-E X16, DisplayPort, 2 HDMI ports. With WIFI. for factor: MATX Memory 32gb 4x8 3200mhz Ddr4 RGB Memory Wh Core Clock: 2475 MHz (Reference card: 24 MHz), Cores: 3072, Memory Clock: 17 Gbp Memory Size: 8 GB, Memory Type: GDDR0 Graphics Card Memory Bus: 128 bit, Card Bus:PCI-E 4.0, Di max resolution: 7680x4320, Multi-view: 4, I Form: ATX, DirectX: 12 Ultimate, OpenGL: 4 DisplayPort 1.4a*2, HDMI 2.1a*2.	R4 [.2 2
Socket LGA 1700, Supports up to 128GB DE Memory, up to 4800+(OC) MHz Ddr4, 2 Memory, up to 4800+(OC) MHz Ddr4, 2 Memory and slots, 4 SATA III, 1 PCI-E X1, 2 PCI-E X16, DisplayPort, 2 HDMI ports. With WIFI. for factor: MATX Memory 32gb 4x8 3200mhz Ddr4 RGB Memory When Core Clock: 2475 MHz (Reference card: 24 MHz), Cores: 3072, Memory Clock: 17 Gbp Memory Size: 8 GB, Memory Type: GDDR6 Memory Bus: 128 bit, Card Bus:PCI-E 4.0, Digmax resolution: 7680x4320, Multi-view: 4, 1 Form: ATX, DirectX: 12 Ultimate, OpenGL: 4 DisplayPort 1.4a*2, HDMI 2.1a*2.	R4 [.2 2
Memory, up to 4800+(OC) MHz Ddr4, 2 M slots, 4 SATA III, 1 PCI-E X1, 2 PCI-E X16, DisplayPort, 2 HDMI ports. With WIFI. for factor: MATX Memory 32gb 4x8 3200mhz Ddr4 RGB Memory Wh Core Clock: 2475 MHz (Reference card: 24 MHz), Cores: 3072, Memory Clock: 17 Gbp Memory Size: 8 GB, Memory Type: GDDR6 Memory Bus: 128 bit, Card Bus:PCI-E 4.0, Di max resolution: 7680x4320, Multi-view: 4, I Form: ATX, DirectX: 12 Ultimate, OpenGL: 4 DisplayPort 1.4a*2, HDMI 2.1a*2.	[.2 2
Core Clock: 2475 MHz (Reference card: 24 MHz), Cores: 3072, Memory Clock: 17 Gbp Memory Size: 8 GB, Memory Type: GDDR Graphics Card Memory Bus: 128 bit, Card Bus:PCI-E 4.0, Di max resolution: 7680x4320, Multi-view: 4, I Form: ATX, DirectX: 12 Ultimate, OpenGL: 4 DisplayPort 1.4a*2, HDMI 2.1a*2.	11
MHz), Cores: 3072, Memory Clock: 17 Gbp Memory Size: 8 GB, Memory Type: GDDRo Graphics Card Memory Bus: 128 bit, Card Bus:PCI-E 4.0, Di max resolution: 7680x4320, Multi-view: 4, I Form: ATX, DirectX: 12 Ultimate, OpenGL: 4 DisplayPort 1.4a*2, HDMI 2.1a*2.	ite
	s, 5, gital PCB
SSD PCIe M.2 3.0 NVME 1TB PCIe 4.0	
Power Supply 850W 80+ Gold Fully Modular Power Supp	lv
Mid Tower Gaming PC Case Black,I/O PORTS USB 3.0 + 2 x USB 2.0 + HD Audio / Mic, CA EXPANSION SLOTS: 7, MAXIMUM GPU LENC Case 350 mm, POWER SUPPLY: Standard ATX, P INSTALL FAN: 1 x 120 mm addressable RGB FAN included, SUPPORT MB FORM FACTO ATX / mATX / Mini-ITX	: 1 x SE TH: RE- LED
CPU Cooling 120mm ARGB Dual Tower Substantial Cool Power CPU Air Cooler	ng
Display 27" IPS 165Hz Curved Monitor	
With wired keyboard and mouse Additional Features With 1000va UPS 1 year warranty	
3. 85-inch 4K Ultra HD TV	
4k HDR processor Processor Full Array LED Google TV	
Wifi Frequency 2.4GHz/5GHz(for Wi-Fi Direct: 2.4GHz On)	
Ethernet Input 1 HDCP2.3(for HDMI™1/2/3/4)	y)

HDMI Inputs Total	4 (4Side)
USB PORTS:	2 (Side)
BLUETOOTH PROFILE SUPPORT:	Version 4.2, HID (mouse/keyboard connectivity)/HOGP (Low Energy device connectivity)/SPP(Serial Port Profile)/A2DP (stereo audio) 1/AVRCP (AV remote control)
Apple Airplay	Yes
Display Resolution	(H X V, PIXELS) 3840 x 2160"
Backlight Type	Direct LED
PICTURE MODES	Vivid, Standard, Cinema, Game, Graphics, Photo, Custom, Dolby Vision (Vivid/Bright/Dark)
VIDEO SIGNAL SUPPORT HDMI™ signal	4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60Hz), 1080p(24,30,50,60Hz), 1080i(50,60Hz), 720p(24,30,50,60Hz), 576p, 480p
SPEAKER CONFIGURATION	Full Range (Bass Reflex) x 2
DTS AUDIO FORMAT SUPPORT	DTS Digital Surround
DOLBY AUDIO FORMAT SUPPORT	Dolby™ Audio, Dolby™ Atmos
ON-BOARD STORAGE (GB)	32GB
OPERATING SYSTEM	Android TV™
SCREEN SIZE (CM, MEASURED DIAGONALLY)	215 cm
POWER REQUIREMENTS (VOLTAGE/FREQUENCY)	50 Hz, 220 V - 240 V AC
Additional Features:	With 2-Year Warranty
	Comes with remote and tv stand
	VESA® HOLE PITCH(W X H)
	Comes with remote and tv stand
	Comes with 1 TV Wall Mount for Large TVs Up to 90" Full Motion Has Smooth Swivel, Tilt, and Extension, Weight capacity
4. 75-inch 4K Ultra HD TV	
Processor	4k HDR processor Full Array LED Google TV
WI-FI FREQUENCY	2.4GHz/5GHz(for Wi-Fi Direct
Ethernet input	1 HDCP2.3(for HDMI™1/2/3/4)

HDMI INPUTS TOTAL	4(4Side)
USB PORTS	2 (Side)
BLUETOOTH PROFILE SUPPORT	Version 4.2, HID (mouse/keyboard connectivity)/HOGP (Low Energy device connectivity)/SPP(Serial Port Profile)/A2DP (stereo audio) 1/AVRCP (AV remote control)
APPLE AIRPLAY	Yes
DISPLAY RESOLUTION (H X V, PIXELS)	3840 x 2160
BACKLIGHT TYPE	Direct LED
PICTURE MODES	Vivid, Standard, Cinema, Game, Graphics, Photo, Custom, Dolby Vision (Vivid/Bright/Dark)
VIDEO SIGNAL SUPPORT	HDMI™ signal 4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60Hz), 1080p(24,30,50,60Hz), 1080i(50,60Hz), 720p(24,30,50,60Hz), 576p, 480p
SPEAKER CONFIGURATION	Full Range (Bass Reflex) x 2
DTS AUDIO FORMAT SUPPORT	DTS Digital Surround
DOLBY AUDIO FORMAT SUPPORT	Dolby™ Audio, Dolby™ Atmos
ON-BOARD STORAGE (GB)	32GB
OPERATING SYSTEM	Android TV™
SCREEN SIZE (CM, MEASURED DIAGONALLY)	189 cm
POWER REQUIREMENTS (VOLTAGE/FREQUENCY)	50 Hz, 220 V - 240 V AC
Additional Features	With 2-Year Warranty Comes with remote and tv stand VESA® HOLE PITCH(W X H) 40.0 x 40.0 cm Comes with remote and tv stand Comes with 1 TV Wall Mount for Large TVs Up to 90" Full Motion Has Smooth Swivel, Tilt, and Extension, Weight capacity 75KG, Universal Design Works with common brand TVs - Includes Hardware and drill Template.

	24.2MP APS-C CMOS Sensor, Dual Pixel CMOS AF II
	2.36m-Dot OLED EVF Single SD card slot; JPG/HEIF/RAW/C-RAW picture formats;
	MP4 recording up to 4K UHD (30p) / 4K UHD crop (60p) / Full HD
	HDR PQ; 2hrs continuous recording time available
	AF: Spot AF/1-point AF/Expand AF area (above below, left and right)
5. DSLR / Mirrorless Camera	Expand AF area (Around)/ Flexible zone AF 1-3/Whole area AF
including handheld gimbal and wireless lavalier	People/Animal/Vehicles subjects AI auto detection
and wireless lavaller	Mechanical/Electronic 1st Curtain: Max. Approx 15fps
	Electronic shutter: Max Approx. 23fps
	Optical Lens Image Stabilization support
	Electronic Viewfinder 2.36M dot count; 0.95x magnification
	LCD Monitor 1.04M dot count; 3.0inches dimension; Vari-angle design
	Built-in flash; Approx. 6meters with 18-45mm f/4.5-6.3 IS Lens
	Includes battery and 64GB Memory Card and camera strap, bag, and authentic battery charge
	Including: 1 set Handheld Gimbal DSLR Camera Stabilizer
	3.0 kg (Handheld); Bluetooth 5.0; USB-C for connections
	Pan axis: 360°/s + Tilt axis: 360°/s + Roll axis: 360°/s NATO port; M4 Mounting Hole; 1/4"-20 Mounting Hole; Cold Shoe Mount; Video Transmission/ Follow Focus Motor Port (USB-
	C); RSS Camera Control Port (USB-C);
	C); RSS Camera Control Port (USB-C);
	,
	C); RSS Camera Control Port (USB-C); Battery: RB2-3400mAh -7.2 V; 18650 2S type;

	(including the handle)
	Dimension when Unfolded: 400×185×175 mm (including the handle and without the Extended
	Grip/Tripod)
	Including: 1 set Wireless Lavalier Microphone; pocket-size; with 2x Button- sized lavalier
	Transmitters and 3x Receiver (1 for Android, 1 for iOS, and 1 for DSLR cameras) and 1 charging case; 300m transmission range;
	30hrs total battery life; 48kHz/24bit HiFi Sound; compatible with iOS/Android and DSLR Cameras headphone out; Plug and Play, ready out of box; w/ phone shutter
	With 1 year warranty for DLSR Camera, Gimbal, and Lavalier
6. A3 Refill Ink Tank Multi-	Automatic 2-sided Color Print ADF - Scan/Copy/Fax
Function Center with Wireless & Ethernet Connectivity	Professionally Designed for Fast Print Speeds, Low Cost High Resolution Photo Quality with Ultra High Yield Ink Bottle
	Wi-Fi Direct, Mobile & USB Print
FUNCTIONS	Fax, Print, Scan, Copy
PAPER SIZE	A4, Letter, Executive, B5A3, Ledger, B4, Legal, Folio, A5, B6, A6, Photo-4"x6", Indexcard-5"x8", Photo-3.5"x5", Photo-5"x7", C5 Envelope, Com-10 Envelope, DL Envelope, Monarch Envelope, Mexico Legal, India Legal
RESOLUTION	up to 1200x4800 dpi
PRINTING WIDTH	A3
BORDERLESS	A4, Letter, A6, Photo (10 cm x 15 cm), Photo L (89 mm × 127 mm), Photo 2L (13 cm × 18 cm), Index Card (127 mm × 203 mm), A3, Ledger
2-SIDED - PAPER SIZE	A3, Ledger, JIS B4, Legal, Folio, A4, Letter, Executive, A5,JIS B5, JIS B6, Mexico Legal, India Legal
PAPER INPUT - PAPER TRAY #1 - MAXIMUM PAPER CAPACITY	Max. 250 sheets of 80 gsm plain paper
PAPER INPUT - MULTI- PURPOSE TRAY	Plain paper, Inkjet paper, Glossy paper(cast/resin), Recycled paper

	PAPER INPUT - MULTI- PURPOSE TRAY - MAXIMUM PAPER CAPACITY	Max. 100 sheets, 80 gsm
	ADF INPUT PAPER TRAY MAXIMUM PAPER CAPACITY	Up to 50-sheets
	PAPER OUTPUT	Up to A4/Letter
	COLOUR	Yes, MONOCHROME
	RESOLUTION	Print
	2-SIDED - PAPER SIZE	Ledger, Legal, Folio, Letter, A3, A4, A5, A6, Photo-4"x6", Mexico Legal, India Legal
	USB 2.0, LAN	Yes,WIRELESS LAN, IEEE 802.11b/g/n (Infrastructure), IEEE 802.11g/n (Wi-Fi Direct™)
	SCANNING WIDTH - ADF	Max. 295 mm
S	CANNING LENGTH - SCANNER GLASS	Max. 429.8 mm
	SCANNING LENGTH - ADF	Max. 429.8 mm
	DISPLAY	2.7" TFT Colour LCD
	MEMORY CAPACITY	128 MB
	POWER SOURCE	AC 220 V to 240 V 50/60Hz
	WIRELESS NETWORK SECURITY	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2- PSK (AES)
	Additional Features	Comes with extra 2 sets of inks aside from the included stock ink With 1 year warranty

VII. OTHER REQUIREMENTS

- 1. Warranty **One (1) year** on parts and service/labor with replacement by the supplier free of cost/charge for 13-inch Laptop, computer system unit (set), DSLR Camera Accessories (set), A3 Refill Ink Tank Multi-Function Center with Wireless & Ethernet Connectivity (set), Four Zone Matrix Power Amplifier with input routing (set).
- 2. Warranty **Two (2) years** on parts and service/labor with replacement by the supplier free cost/charge for 85-inch 4K Ultra HD TV (set), 75-inch 4K Ultra HD TV 9 (set), 20kVA, Three Phase, 400V, 60Hz Automatic Voltage Regulator (set).
- 3. Installation and testing of AVR.

4. AFTER SALES SERVICE

- a. Submission of Certificate of After Sales Service, Manpower Requirements and Availability of spare parts within the warranty period with the list of accredited services centers in the Philippines, indicating the address, telephone numbers and contact persons.
- 5. Original Warranty/Guarantee Certificates shall be issued in the name of PSHS-MRC.
- 6. Distributorship Agreement shall be provided for the legitimacy of the supplier.

VIII. DELIVERY SCHEDULE

- 1. Delivery Period: The Supply and Delivery of ICT Equipment must be delivered within **thirty (30) calendar days upon** the receipt of the Notice to Proceed (NTP).
- 2. Delivery Site: The ICT Equipment must be delivered at the address below:

PHILIPPINE SCIENCE HIGH SCHOOL MIMAROPA REGION CAMPUS

Brgy. Rizal, Odiongan, Romblon, 5505

3. Delivery should be made within office hours and on regular working days on or before the stipulated date in the contract unless otherwise specified for valid reason why the same cannot be complied with.

IX. INSPECTION, TESTING AND ACCEPTANCE

- 1. After Sales Service and Support during the warranty period, all reported defects shall be completely/satisfactorily repaired/replaced by the winning bidder/supplier within **72 hours** after receipt of a verbal and/or written notice from the PSHS-MRC.
- 2. The PSHS-MRC shall have the right to reject and return the unit and cancel the corresponding Contract if units delivered are defective, incomplete, or non-compliant to the specifications herein specified.

X. TERMS OF PAYMENT

The payment shall be done within **fifteen (15) working days** upon receipt, inspection and acceptance of the ICT equipment, warranty certificates and other documents as may be required.

Prepared by:

VIRGIL DONOVAN F. FAMINI

Head, Technical Working Group - Goods


MARJORIE DWAINE M. FABRO

Member, Technical Working Group – Goods

DOROTTY ANNE B. ICAL

Member, Technical Working Group – Goods

XI. REFERENCES (for sample purposes only)



A3 Refill Ink Tank Multi-

