

Supplier : Address :		BIZNOFF SOLUTION ENTERPRISES INC.		PO. No.;	2024-	-02-PO011
		Lipa City , batangas		Date:	22-Feb-24	
TIN:		010-685-734-00000	Mode of Procure		ement: SVP	
Gentlemen:		Please furnish this Office the following articles subject to the terms and	conditions co	ontained herein:		
Place of Deliv	very:	PSHS-MRC, Rizal, Odiongan, Rombion	Delivery To		Γ	none
Date of Delivery:		Delivery will be within Thirty (30) calenday days upon receipt of Purchase Order (PO)	Payment Term:		15 Days upon completion of delivery/service	
Stock / Property No.	Unit	Description	Quantity	Unit Cost		Amount
Lot 1		Supply and delivery of Sounds System for Auditorium			10000000	
	pc	15-inch Driver Active Powered Speaker	4	P 19,762.50	r	79,050.00
		Amplifier: 700 Watts peak (350 Watts continuous) Class D power	Brand offe Audio Stag	r: Titanium ge 15A		
		Low-frequency: 15-inch (381 mm) LF driver, 2-inch (51 mm) voice coil	(800watts)	W 1/2		
		High-frequency: 1.0" (25 mm) titanium-diaphragm compression driver, 1.0" (25 mm) voice coil				7
		Horn coverage: 90 H x 60 V horn delivers greater coverage			<u> </u>	
		Frequency Response: 65 Hz – 20 kHz (-3 dB)			ļ	
		Crossover Frequency: 2.2 kHz Max SPL: 121 dB @ 1 m	ļ			
		Equalization: Contour switch with low- and high-frequency +3 dB boost	1		<u> </u>	dade obtant
		Connectors: (1) XLR/TRS 1/4" (6.35 mm) balanced input (Line/Mic) (1) XLR output (Link) (1) IEC power cable input				
		Controls: Power switch, volume control knob, contour switch, ground-lift switch				
		Indicators: (2) power LEDs (1 front panel, 1 rear panel), clip limiter LED				
		Voltage: 100-120 V~, or 220-240 V~; 50/60 Hz				المستوالية والمراد
	_	Fuse: 100-120V T6.3AL AC250V or 220-240V T3.15AL AC250V				
		Consumption: 350 W	 		 	
		Protection: Thermal, overload analog limiter/compressor Enclosure: Injection-molded polypropylene, multi-angle for main or monitor applications, metal grille, rubber feet, 2 handles (both sides)	1~			
		Mounting/Installation: Standard 36 mm pole socket, wedge monitor		Jan Stranger		
		Dimensions (height x width x depth): 24.9" x 15.2" x 14.6"				
		With 1-year warranty				
		Continued to next page				
(Sub-Total Ame Words:)		SEVENTY NINE THOUSAND FIFTY PESOS ONL.		ll of one never	P to ever	79,050.00
		ore to make full delivery within the time specified above, a penalty of one- the undelivered item (s).				. 44) 44 44-43
Conform	ne:	DEN JULIAN FRANKE FEARS BIZNOFF SOLUTION ENTERPRISES INC. Signature over Primod Name of Supplier	Very truly	ROMEO C.	ONGPOY,	JR.
		Maket 4, 7024	ORS / BRS	No Do-limit	n_3n24-	02-00105
Fund Cluste Funds Avai		——————————————————————————————————————	Date of OR	S/BRS No.: FE	B 22 20 129. bi	24
4		MELONIE M. FAJARILLO Accountant		J.		Page Laf 6

Supplier:		BIZNOFF SOLUTION ENTERPRISES INC.		PO. No.:	2024-02-P	0011
Address:		Lipa City , batangas		Date:	22-Feb-	_
TIN:		010-685-734-00000		Mode of Procure	ment:	SVP
Gentlemen:						
		Please furnish this Office the following articles subject to the terms and condition	ns contained	I herein:		
Place of Deli	very:	PSHS-MRC, Rizal, Odiongan, Romblon	Delivery To	erm:	none	
Date of Delivery:		Belivery will be within Thirty (30) calenday days upon receipt of Purchase Order (PO)			15 Days upon of delivery	
Stock / Property No.	Unit	Description	Quantity	Unit Cost	Amou	nt
		Forwarded balance			P	79,050.00
	pc	12-inch Driver Active Powered Speaker	4	P 16,663.00	P	66,652.00
		Amplifier: 700 watts (peak), 350 (continuous), Class D power	Audio MA	and the second s		
		Low-Frequency: 12.0" (305 mm) driver, 2.0" (51 mm) voice coil				
		High-Frequency: 1.0" (25 mm) titanium-diaphragm compression driver, 1.0" (25 mm) voice coil		1		
		Horn Coverage: 90° horizontal x 60° vertical (nominal)				
		Frequency Response: 70 Hz - 20 kHz (-3 dB)				
		Crossover Frequency: 2.5 kHz				
		Max SPL: 120 dB (a) 1 m Equalization: Contour switch with low- and high-frequency +3 dB boost				
		(I) XLR output (Link)				
		(1) IEC power cable input				
		Indicators: (2) power LEDs (1 front panel, 1 rear panel), clip limiter LED				
		Voltage: 100–120 V~, or 220–240 V~; 50/60 Hz	-	ļ		
		Fuse: 100-120V T6.3AL AC250V or 220-240V T3.15AL AC250V Consumption: 350 W	ļ	 	-	
+		Protection: Thermal, overload analog limiter/compressor	ļ	 		
		Enclosure: Injection-molded polypropylene, multi-angle for main or monitor applications,	 		 	
		metal grille, rubber feet, 2 handles (both sides)	1 11			
		Mounting/Installation: Standard 36 mm pole socket, wedge monitor				
		Dimensions (height x width x depth): 23.7" x 15.0" x 13.5"				
		With 1-year warranty				
	pc	Single 18-Inch Active Powered Subwoofer	2	P 40,107.50	P	80,215.0
		Subwoofer Type: Class D	Brand off Audio Su	fer: Titanium b18A		
		18" Suh Bass	ļ			
		Low 4" Voice Coil				
		1000 Watts Power, 1200 Watts Amplifier			14.	بناء المراجع والم
		Low Pass Filter: 30Hz - 300Hz				
		8 ohms impedance, 99dB Sound Pressure Level	ļ			
		XLR Line Input/Output, Phase Adjust: 0° - 180°	-			
		Low Pass Filter: 30Hz - 300Hz				
		Dimensions: L75 X W63 X H148 CM		-		
		With 1-year warranty			-	
(Sub-Total Amo	unt in	***Continued to next page *** TWO HUNDRED TWENTY FIVATHOUSAND NINE HUNDRED SEVENTEEN	1	<u></u>	-	*****
Words:) In case	of fail	are to make full delivery within the time specific I above, a penalty of one-tenth (1/10) of			of delay shull	225,917.00 be imposed
Conforme	ered i		Very truly		+ 1 DNGPOY, JR.	_
		Signature over Printed Nathe of Supplier MARCH 4 2024 Date		Ot Io .	or 2011_0	_D)(d
Fund Cluster Funds Availa		# 431, P9.00	ORS / BRS Date of OR: Amount		EB 7 2 2024 9. by	
		MELONIE M. (A) ARILLO Accountant		,		

Supplier:		BIZNOFF SOLUTION ENTERPRISES INC.		PO. No.:	2024-	-02-PO011
Address:		Lipa City , butangas		Date:	22	-Feb-24
TIN:		010-685-734-00000		Mode of Procur	ement:	SVP
Gentlemen:					makely has	
		Please furnish this Office the following articles subject to the terms and condition		the state of the s		
Place of Deli	ivery:	PSHS-MRC, Rizal, Odiongan, Romblon	Delivery To	rm:		none
Date of Delivery:		Delivery will be within Thirty (30) calenday days upon receipt of Furchase Order (FO)	Payment To	erm:	15 Days upon completion of delivery/service	
Stock / Property No.	Unit	Description	Quantity	Unit Cost	A	Amount
		Forwarded balance			P	225,917.00
	set	16-Channel Mixing Console w/ Effects	1	P 19,797.00	P	19,797.00
		16-Channel Mixing Console	MG16XU	er: YAMAHA		
		Max. 10 Mic / 16 Line Inputs (8 mono + 4 stereo)	10 Channel	Mixing		
		"D-PRE" mic preamps with an inverted Darlington circuit	Max 10 Mi	ic / 16 Line		
		The same presents and the control of	inputs (8 Mono + 4 stereo			
		Computer Connectivity: USB (2 x 2)		c Preamps with Darlington		
		Faders: 16 Faders				
		Inputs - Mic Preamps: 8 x XLR/TRS Combo, 2 x XLR, 4 x TRS				
		Phantom Power: +48V			-	
		Inputs - Line: 4 x TRS				
		Inputs - Other: 2 x RCA (Stereo) Outputs - Main: 2 x XLR, 4 x TRS	4			
		Outputs - Direct: 4 x TRS			+	
		Outputs - Other: 1 x TRS (Footswitch)	-		-	
	-	I-knob compressor (Gain/Threshold/Ratio)			+	
		EQ Bands: 3-Band, Sweepable Mid			+	
	_	Effects: Yes			+	
		Aux Sends: 1 x Pre, 1 x Post/Pre, 2 x Post	 		+	
	-	Send/Return I/O: 4 x TRS (Send)	 		+	
			 	 	+	
		Busses/Groups: 4 x Groups	 	 	+	
		Headphones: 1 x 1/4"		}	+	
		Rackmountable: Yes	 			
	1	LED turns on when post EQ signal reaches 3 dB helow clipping		ļ	-	
		Level Meter: 2x12 -segment LED meter [PEAK, +10, +6, +3, 0, -3, -6, -10, -15, -20, -25, -30]	1	1	1	
		1B] Power: AC 100 – 240 V, 50 / 60 Hz, power consumption: 30W	-	-	+	
	_	The state of the s			+	
	-	With 1-year warranty	6	P 3,205.00	P	19,230.00
		Heavy Duty Single Boom Microphone Stand	Brand of	A Company of the Comp	4	15,230.00
		With a removable boom arm and its ability to fold flat, this stand is a must for every member of the band.	LM200 H	eavy Duty Mic		
		,	Boom Star	e Height Over	+	
	1	Heavy duty die-cast aluminum hase		djustable Grip		
		Steel tube body, Oversized height adjustment clutch		ps, 1 Mic Holde	T	
		Two cable clips, 2 Mic Holder	1	1		
		Continued to next page	La Service de			or and department of the last
ub-Total Amo	ount in	TWO HUNDRED SIXTY FOUR THOUSAND NINE HUNDRED FORTY FOUR P	ESOS ONLY	<u>'</u>	P	264,944.00
Words:)	of faitu	ere to make full delivery within the time or died above, a penalty of one-tenth (1 / 10) of			of defay sh	sall be imposed
the undeliv			Very truly	· · · · · · · · · · · · · · · · · · ·		
Conform	ie:	AFW	very uniy	yours.	1. 1	
		BIZNOFF SOLUTION ENTERPRISES INC. Signature over Printed Name of Supplier	-1804	ROMEO C.	ONGPOY,	JR.
		MARCH 4, 2024			0-0-	1 00 510
		Date	ORS / BRS	No. 02-101	11-900	(-02-03/0 2024
Fund Cluster Funds Ayail		₱ 431, 129.20	Date of OR	S / BRS No.:	EB 227	2024
Same Avell		1011-1-co		A 431	129.0	
		MELONIE M. F. JARILLO	Amount:	A 131.	147.01	
		Accountant				Dura Lata

Supplier :		BIZNOFF SOLUTION ENTERPRISES INC.		PO. No.:	2024-	-02-PO011
Address :		Lipa City, batangas		Date:	22-Fel>24	
TIN:		010-685-734-00000		Mode of Procure	ment:	SVP
Gentlemen:					and the state of t	
		Please furnish this Office the following articles subject to the terms and con	-	-		
Place of Deli	ivery:	PSHS-MRC, Rizal, Odiongan, Rombion	Delivery To	erm:		none
Date of Delivery:		Delivery will be within Thirty (30) calenday days upon receipt of Purchase Order (PO)	Payment To	erm:	15 Days upon complet of delivery/service	
Stock / Property No.	Unit	nit Description		Unit Cost	Amount	
ACCOUNT OF THE		Forwarded balance			7	264,944.00
	set	Boom Microphone	4	P 3,082.00	P	12,328.00
		Super cardioid electret condenser microphone		er: LIVE 238 onal SHOTGUN IC		
		Unidirectional for long& short distance (selectable)	Heavy duty	Condenser Mic		
		Sensitivity: Short distance-66 dB(1 v/mbar 1kHz), Long distance-50 dB(1 v/mbar	Supply Do	uble AA Battery		
		IkHz)	Designed t	y German		
		Frequency response:80 Hz-13 kHz	Technolog	y		
		Power source: DC 1.5 AA type battery	L			
		S/N Ratio:120 dB	2	P 14,488.00	P	28,976.00
		Professional Wireless Microphone System		er: AD ACT-	 	
		A. OVERALL SYSTEM	9460			
		Max. 10 Mic / 16 Line Inputs (8 mono + 4 stereo)	4 channel			
		Operating Frequency: 520MHz~(optional)	-	licrophone	-	
		Modulation Mode: FM	Changeabl	e Frequency	-	
		Maximum Deviation: +45	-		+	
		Frequency Response: 80Hz~15KHz (+3dB)	 	_	-	
	- 1	Image Rejection: <1%	+		1	
		B. 4 HANDHELD TRANSMITTER	+	-	-	
	- 19	Output Power: 8~30mW			1	
		Harmonic Interference Ratio: -50dB	-	 	+	
		Battery: 2pcs AA Type Battery	-		+	
		Cartridge: Dynamic	 	 	+	
	The second second	RECEIVER	 		+	
		ensitivity: 12dBuV(80dB S/N)	-	-		Lance of the second
	S	ensitivity Range: 12~32dBuV	-	-	-	
	l.	larmonic Interference Ratio; >75dB		-	+	
		udio Output: Balanced: 0~0.5V/600 Audio Output:0~0.5V/5k		-	W 20 2 7 A	
		lower Supply: Connect Direct Power 12–14V			-	
	C	Current: 300mA	-	ļ		The second second
i managara	H	Vith 1-year warranty			 	
		Continued to next page		IV	-	306,248.00
Sub-Total Amor Words:)		THREE HUNDRED SIX THOUSAND TWO HUNDRED FORTY EIGHT	T FESOS ON		1:	
In case	of failur	e to make full delivery within the time specified above, a penalty of one-tenth	(1) toy or o	suc hearem in	every nay	en dessy some or
posed on the	e vadeli	vered item (s).	Very truly	yours,		
Conforme	B:	JOHN Jupiceto France Populs		ROMEO C. C		JR.
		BIZNOFF SOLUTION (ENTERPRISES INC. Signature over Printel Name of Supplier		Campus	Director	
		Date	and / nna	No bo-tentor	2004-1	20100-4
und Cluster:			ORS / BRS Date of ORS	THE THE PERSON NAMED IN	B 22 20	124
funds Availab	ole:		Amount	\$ 431,13	19.61	
		MELONIE M./F.AJARILLO		0		
		Accountant				Page 4 of 6



PHILIPPINE SCIENCE HIGH SCHOOL-MIMAROPA REGION CAMPUS Entity Name

Supplier:		BIZNOFF SOLUTION ENTERPRISES INC.					
Address :		Lipa City , batangas		PO. No.:	2024-02-PO011		
TIN:		010-685-734-00000		Date:	22-Feb-24		
Gentlemen:				Mode of Procure	ement; SVP		
		Please furnish this Office the following articles subject to the terms and	conditions o	amazina di Carata			
Place of Del	ivery:	PSHS-MRC, Rizal, Odiongan, Rombion	Delivery To				
Date of Deli	Work !!	Delivery will be within Thirty (30) calenday days upon receipt of		2011;	none		
Date of Delivery:		Purchase Order (PO)	Payment Term:		15 Days upon completion of delivery/service		
Stock / Property No.	Unit	Description	Quantity	Unit Cost	Amount		
	roll	Microphone cable Forwarded balance		****	P 306,248.00		
	1011		3	P 8,015.00	P 24.045.00		
		100m Heavy Duty Flexible Rubber Jacket		r: Quantum Pro			
		True Balanced Lo-Z Shielded Cable	Microphon	Classic Series			
		Shareta ES-E Shielaea Cable	Microphon				
		High Grade 21AWG 3 Copper	High grade	21AWG Pure			
		Conductors (2 Hot & 1 Ground Shield)	copper				
		High Quality Noise Free Performance	2 Hit & 1 (oround			
		Great for Studios, Pro Sound, & DJ's					
	set	Heavy duty: MFL. 3-Pin XLR Cable Connector Male and					
		Female pair	20	P 431.00	P 8,620.00		
- 1			Brand offe	r: ROXTONE			
			Heavy Dut	y XLR			
				emale, MFL 3			
	set	Heavy Duty Speaker Wall Mount	PIN				
			8	P 1,973.00			
		Load: 50kg max	stand	Il mount speaker			
		Depth (from wall to pole): 310mm		, Max Weight			
-	1	Pole mount: 36mm	Pure Metal	w/ Swivle			
	-	Wall Plate (WxH): 135 x 250mm	Angle 180	degrees			
		Swivel angle: 180°					
		ncluding nuts and bolts					
		PAR Light stand with metal tripod					
			4	P 3,082.00	P 12,328.0		
	F	Professional Lighting Stand with capacity to attach up to 4 lighting fixtures	Light stand	5 Heavy duty			
	٨	luts and Bolts included	Adjustable		-		
	l.	leight: 3 Meters, Top bar height: 1.2m	4-8 Lights				
		Maximum Load Capacity: 50kg	-				
		Continued to next page	Capacity 5	l l			
ub-Total Amou	ant in	THREE HUNDRED SIXTY SEVEN THOUSAND TWENTY FIVE		<u>. </u>	1		
Words:)	of feiter	to make full delivery within the Niene provided above a second	reaus uni	Y	P 367,025.00		
all be impose	ed on th	re to make full delivery within the time specified above, a penalty of one-to-	enth (1 / 10) of one percent	for every day of delay		
Conforme		YV	Very truly	/ours			
		. And The Control of	,, ,	~ ·			
		JOHN JUNIOHO FINANCIAN ROALES	-		t t		
		BIZNOFF SOLUTION ENTERPRISES INC.		ROMEO C. O			
		Signature over Printed ame of Supplier		Campus	Director		
					13/40		
		Tharest 4 2024					
Fund Cluster:	-	Date	One (see	M land			
Funds Availa		931,129.00	Date of ORS	No.: UN -[0][0]	- 2024 - 12 -60/05		
1000			Date of OKS	FT 1.			
			Amount:	184 431	129.01		
		MELONIE M. RADARILLO		4			
	-	Accountant	-		The second secon		

Page 5 of 6



Supplier:		BIZNOFF SOLUTION ENTERPRISES INC.		PO. No.:	2024-	-02-PO011
Address :		Lipa City, batangas	Date:		22-Feb-24	
TIN:		010-685-734-00000		Mode of Procure	ment:	SVP
Gentlemen:		and the COS and the following articles subject to the Cost of				
		Please furnish this Office the following articles subject to the terms and condition				
Place of Deli	very:	PSHS-MRC, Rizal, Odiongan, Rombion	Delivery To	erm		none
Date of Delivery:		Delivery will be within Thirty (36) extends; days upon receipt of Purchase Order (PO)			ipon completion ivery/service	
Stock / Property No.	Unit	Description		Unit Cost	Amount	
		Forwarded balance			P	367,025.00
	set	PAR Light controller	2	P 3,082,00	P	6,164.00
		Control up to 192 DMX	Offer: DV controller	1X Light		
		Channels		Channel w/ 16		
		30 banks, each composed of 8 Programmable scenes.	selectable			
	-	8 adjustable potentiometer to adjust the output size.		rogramable		
			functions	effects	-	
		Built-in MIC head, and voice features.		-		-
		Automatically trigger state, the TAP SYNC button or the SPEED				
		potentiometer to determine automatically trigger time. MIDI interface, may at any time using the MIDI signal control	-		1	
		4 LED digital display		1		
		The first led digit shows CHASES, the second digit led shows SCENES			Table 1	Access to the same
		Third and fourth led digit shows BANKS				
		Second, third, and fourth led digits show steps 0-255 or TIME.				
		BLACK OUT function can be used manually or MIDI remote control.				
		Output delay function, the FADE TIME potentiometer to adjust			T	
		the delay time.	1	<u> </u>		
		DMX output polarity selection.			-	
	set	54X3W RGBW LED PAR Light	20	P 2,897.00) P	57,940.0
		Input voltage: AC90-245V/50-60Hz	Upgraded Version I RGBW w	ED PAR 54X3 - I and New LED PAR 60X3 I/ Loop cable and	1	
1		Power: 60-175W	In and Or cables	at Connection		
		Light color: R, G, B, W			-	
		Light source: 3W High Brightness				
		LED (Red -12, Green -18, -18 blue, white -6)				
		Source life : 100000 hours				
		Light body material: Aluminum				1-7 - 1-7 - 1-4
		Lens angle: 25 degrees (45 can he customized)	-		_	
		Color: 16.7 million kinds of color change	-			
		Control: DMX512, master-slave control, self-propelled, voice				
		Channel: 4/8 channels Features: 2 frame handle, can be self-supporting, can be hung.	-			
1	1	Split design, whole body cast, temperature protection, safe				
1		and reliable				
	-	**Nothing follows**				
Sub-Total Arno	unt in	FOUR HUNDRED THIRTY ONE THOUSAND ONE HUNDRED TWENTY NIN	E PESOS OF	NLY	P	431,129
W	of fails	ire to make full delivery within the time specified above, a penalty of one-tenth (1/10) of	Very trul	ent for every d	y of dela	v shall be larpos
Conform	e:	JOHN JURIAN THOMAS BIZNOFF SOLUTION ENTERPRISES INC. Signature over Printed Name of Supplier	,,	ROMEO C.	ONGPO	Y, JR.
		Marcy 4 2024 Date	ORS / BR	02-1th	167-302	4-02-61/05
Fund Cluster		Name and control of the control of t	Date of Ol	RS / BRS No.:	LU LL	2029
Funds Avail	able:	MELONIE M. F. JARILLO	Amount:	P 4:	1,129,	0)
		MELONIE II. CONTRACTOR OF THE PROPERTY OF THE				