



PURCHASE ORDER
PHILIPPINE SCIENCE HIGH SCHOOL-MIMAROPA REGION CAMPUS
 Entity Name

Supplier :	MT. ZION SCIENTIFIC INC.	PO. No.:	2022-04-PO019
Address :	#42 Sampauita Avenue, Mapayapa Village II, Brgy. Holy Spirit, Quezon City, 1127	Date:	18-Apr-22
TIN :	247-084-130-000	Mode of Procurement:	SVP

Gentlemen:
 Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery:	PSHS-MRC, Rizal, Odiongan, Romblon	Delivery Term:	none
Date of Delivery:	Thirty (30) - Sixty (60) calendar days	Payment Term:	30 Days

Stock / Property No.	Unit	Description	Quantity	Unit Cost	Amount
LOT 1		<i>Supply and Delivery of Laboratory Supplies</i>			
	Liter	2.5 L Ethyl Alcohol, AR <i>with MSDS attachment</i>	2	P 2,200.00	P 4,400.00
	Liter	2.5 L Acetone, AR <i>Requirement: PDEA certification, MSDS attachment</i>	2	P 1,700.00	P 3,400.00
	Liter	2.5 L Methanol AR Grade <i>with MSDS attachment</i>	2	P 2,440.00	P 4,880.00
	Liter	2.5 L Acetic acid Glacial, AR <i>with MSDS attachment</i>	2	P 2,720.00	P 5,440.00
	gram	500 g Sodium Hydroxide pellets, AR <i>with MSDS attachment</i>	2	P 1,615.00	P 3,230.00
	Liter	2.5 L Hydrochloric Acid <i>Requirement: PDEA certification, MSDS attachment</i>	2	P 1,600.00	P 3,200.00
	Liter	2.5 L Sulfuric Acid <i>Requirement: PDEA certification, MSDS attachment</i>	2	P 1,580.00	P 3,160.00
	Liter	4 L Acetonitrile, AR <i>Requirement: PDEA certification, MSDS attachment</i>	1	P 5,632.00	P 5,632.00
	gram	250 g Phenolphthalein, AR <i>with MSDS attachment</i>	1	P 2,040.00	P 2,040.00
	gram	500g Potassium Chloride anhydrous, AR <i>with MSDS attachment</i>	1	P 1,003.00	P 1,003.00
	mL	500 mL HF Scientific 52560 Hach, Procal Primary Standard <i>with MSDS attachment</i>	1	P 15,900.00	P 15,900.00
	Liter	1 L of pH 4 buffer solution <i>Standardized against NIST certified sample and with MSDS attachment</i>	1	P 1,300.00	P 1,300.00
	Liter	1 L of pH 7 buffer solution <i>Standardized against NIST certified sample and with MSDS attachment</i>	1	P 1,300.00	P 1,300.00
	Liter	1 L of pH 10 buffer solution <i>Standardized against NIST certified sample and with MSDS attachment</i>	1	P 1,300.00	P 1,300.00
		Nothing follows			

(Total Amount in Words) **FIFTY SIX THOUSAND ONE HUNDRED EIGHTY FIVE PESOS ONLY** P **56,185.00**

In case of failure to make full delivery within the time specified above, a penalty of one-tenth (1 / 10) of one percent for every day of delay shall be imposed on the undelivered item (s).


Conforme: 
ALLYSIA AGUILANA
 MT: ZION SCIENTIFIC INC.
 Signature over Printed Name of Supplier

Very truly yours,

EDWARD C. ALBARACIN
 Campus Director

RECEIVED 26 APR 2022
 Date

Fund Cluster: _____
 Funds Available: ₱ 56,185.00


IVY MAY F. FAMATIGA
 Accountant

ORS / BRS No.: 02-10101-2022-04-0269
 Date of ORS / BRS No.: APR 15 2022
 Amount: ₱ 56,185.00