



PHILIPPINE SCIENCE HIGH SCHOOL  
MIMAROPA REGION CAMPUS

REQUEST FOR QUOTATION  
FORM AND NOTICE

Project: **SUPPLY AND DELIVERY OF OTHER MACHINERY AND EQUIPMENT**

The PHILIPPINE SCIENCE HIGH SCHOOL - MIMAROPA REGION CAMPUS (PSHS-MRC) intends to apply the sum of **SEVEN HUNDRED FIFTY SIX THOUSAND PESOS (Php 756,000.00)** being the Approved Budget for the Contract (ABC) to pay for the contract for the Project: **SUPPLY AND DELIVERY OF OTHER MACHINERY AND EQUIPMENT**.

1. The PSHS-MRC now invites qualified suppliers/manufacturers/dealers to submit price quotations for the above item with the following specifications:

1.1 Please see attached request for quotation form.

**SUPPLY AND DELIVERY OF OTHER MACHINERY AND EQUIPMENT.**

LOT 1 ABC = ₱ 50,000.00	LOT 9 ABC = ₱ 30,000.00
LOT 2 ABC = ₱ 60,000.00	LOT 10 ABC = ₱ 35,000.00
LOT 3 ABC = ₱ 25,000.00	LOT 11 ABC = ₱ 50,000.00
LOT 4 ABC = ₱ 25,000.00	LOT 12 ABC = ₱ 35,000.00
LOT 5 ABC = ₱ 50,000.00	LOT 13 ABC = ₱ 90,000.00
LOT 6 ABC = ₱ 40,000.00	LOT 14 ABC = ₱ 100,000.00
LOT 7 ABC = ₱ 50,000.00	LOT 15 ABC = ₱ 76,000.00
LOT 8 ABC = ₱ 40,000.00	

2. Procurement will be conducted through one of the Alternative Modes of Procurement which is "Small Value Procurement" specified under RA 9184, and its Revised IRR, otherwise known as the "Government Procurement Reform Act".

3. Eligibility Requirements for Small Value Procurement are:

- Certificate of Registration
- Updated Mayor's Permit
- Updated DTI / SEC Registration
- Updated Quarterly Income Tax Return / Tax Clearance
- PhilGEPs Certificate of Membership / Registration or Snapshot of Registered Account in PhilGEPs
- Notarized Omnibus Sworn Statement
- Landbank Passbook Account and Snapshot of Account in Landbank System for Payment Purposes  
| Alternative is through Check Payment if Supplier has no Landbank Account
- Filled out Supplier's Information Sheet
- Warranty Certificate

4. Interested suppliers may obtain the Request for Quotation (RFQ) Form from the Finance and Administrative Division (FAD), PSHS-MRC c/o Mr. ELIAZAR M. FIRMALO, (0933-337-2203 / bacsec@mrc.pshs.edu.ph on February 12-21, 2019 from 8:00am – 5:00pm without cost.

5. The deadline for submission of duly accomplished RFQ Form (Open or Sealed) is on February 21, 2019, 5:00 pm. Suppliers are not required to attend the Opening of Quotations.

6. The winning supplier will be notified in writing or by phone or otherwise by the Head of the Procuring Entity (HOPE) subject to the provisions of RA 9184 and its Revised IRR.

7. The PSHS-MRC reserves the right to accept or reject any price offer, and to annul the procurement process and reject all offers at any time prior to contract award, without thereby incurring any liability to the affected supplier or suppliers.

  
**MERIAM F. FALLAR**  
Administrative Officer V  
BAC Chairperson



**REQUEST FOR QUOTATION**

Quotation No.:  
Date:

2019-02-PR014
1-Feb-19

GENTLEMEN:

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.

**DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)**

In case of failure to make the full delivery / completion within the time specified as offered / required, the Supplier / Contractor shall be liable for liquidated damages / penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered / completed portion (s) of the approved P.O. / Contract.

ITEM #	QTY	UNIT	ITEM / DESCRIPTION	UNIT COST	TOTAL COST
<i>PRICES MUST BE TAX (VAT) INCLUSIVE</i>					
<b>MACHINERY AND EQUIPMENT</b>					
<b>LOT 1</b>	<b>2</b>	<b>unit</b>	<b>LADDER (HEAVY DUTY) 25ft</b>		
			*Load Capacity: 300 lbs		
			*Reaches from 16 ft to an extendable length of 29 ft		
			*Self-leveling 2-way swivel safety shoes		
			*Main Material: Fiberglass ; Lifetime Service Warranty		
<b>LOT 2</b>	<b>2</b>	<b>unit</b>	<b>BAND SAW</b>		
			*Motor Power: 750w		
			*Table size: 352x352mm		
			*Throat: 352mm		
			*Cutting depth: 152mm		
			*Speed: 960m/min/800/min		
			*Blade size:2375x10x0.6m ; Lifetime Service Warranty		
<b>LOT 3</b>	<b>1</b>	<b>unit</b>	<b>ELECTRIC NIBBLER</b>		
			*Precise, burr-free curved and straight cuts from slim, yet powerful performer.		
			*Cuts flat and corrugated sheet metal with the same die.		
			*Die rotates 360degrees, large 1/4" stroke		
			*Built-in thickness gauge for convenience.		
			*Continuous rating Input: 550W		
			*Capacity: Steel up to 400 N/mm <sup>2</sup> : 1.6mm		
			*Steel up to 600 N/mm <sup>2</sup> : 1.2mm		
			*Steel up to 800 N/mm <sup>2</sup> : 0.8mm		
			*Aluminum up to 200 N/mm <sup>2</sup> : 2.5mm		
			*Min. cutting radius: Outside edge : 50mm (2")		
			*Inside edge : 45mm (1-3/4")		
			*Strokes per minute (spm): 2,200		
			*Overall length: 261mm (10-1/4")		
			*Net Weight: 1.6kg (3.6lbs) ; Lifetime Service Warranty		
<b>LOT 4</b>	<b>1</b>	<b>unit</b>	<b>POWER SHEARS</b>		
			Blade design results in no material loss.		
			Body grip design with a paddle switch for easy one handed operation.		
			Features a lower scrap guide to protect the operator's hands, a lock-off switch and b		
			Easily replaceable blades with a total of 8 cutting edges each.		
			Continuous rating Input: 300W		
			Capacity: Steel up to 400 N/mm <sup>2</sup> : 1.6mm		
			***Continued on Next Page***		
			<b>TOTAL</b>		

**DELIVERY TERM:**  
**DELIVERY TIME:** DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)  
**PAYMENT TERM:** 30 Calendar Days Upon Receipt of Purchase Order (PO)

Very Truly Yours,

  
**ELIAZAR M. FIRMALO**  
A. O. III - Supply Officer II  
Mob. No.: 0933-3372203(Sun)  
Email: bacsec@mrc.pshs.edu.ph

**PRICES IN THE ABOVE OFFER ARE CERTIFIED TRUE AND CORRECT:**

Authorized Company Representative: \_\_\_\_\_  
(Signature over Printed Name)

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_

Mobile No., Tel. No.: \_\_\_\_\_

T.I.N.: \_\_\_\_\_

**IMPORTANT**

- Prices must be typewritten in ink clearly.
- If offering a substitute / equivalent, specify brand name and make



**REQUEST FOR QUOTATION**

Quotation No.:  
Date:

2019-02-PR014
1-Feb-19

GENTLEMEN:

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.

**DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)**

In case of failure to make the full delivery / completion within the time specified as offered / required, the Supplier / Contractor shall be liable for liquidated damages / penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered / completed portion (s) of the approved P.O. / Contract.

ITEM #	QTY	UNIT	ITEM / DESCRIPTION	UNIT COST	TOTAL COST
<b>PRICES MUST BE TAX (VAT) INCLUSIVE</b>					
			Steel up to 600 N/mm <sup>2</sup> : 1.2mm		
			Steel up to 800 N/mm <sup>2</sup> : 0.8mm		
			Aluminum up to 200 N/mm <sup>2</sup> : 2.5mm		
			Min. cutting radius: 30mm (1-3/16")		
			Strokes per minute (spm): 4,000		
			Overall length		
			Net Weight: 1.8kg (3.9lbs) ; Lifetime Service Warranty		
<b>LOT 5</b>	<b>2</b>	<b>unit</b>	<b>CORE DRILL WITH RIG</b>		
			*Rated Power Input(W) 3300		
			No-Load Speed(r/min) 500		
			Max.Drilling Capacity(mm) Φ200		
			Net Weight(kg) 22		
<b>LOT 6</b>	<b>2</b>	<b>unit</b>	<b>MAGNETIC DRILL PRESS</b>		
			*Compatible with Straight Shank Drill and Annular Cutter		
			No Load speed 330rpm		
			Frequency 50Hz		
			Magnetic Adhesion 13000 N		
			Weight 26.5kg		
			Maximum Drilling Capacity 23mm		
			Power Input 1200 W		
<b>LOT 7</b>	<b>2</b>	<b>unit</b>	<b>BELT SANDER</b>		
			*Auto-tracking belt system, high dust collecting capacity, low noise at only 85dB.		
			*Unique design allows flush sanding to a wall with side of sander		
			*Electronic variable speed control feature.		
			*Continuous rating Input: 1,010W		
			*Belt size: 100 x 610mm (4"x 24")		
			*Belt speed: 210 - 440m / min. (660 - 1,440ft/ min)		
			*Overall length: 334mm (13-1/8")		
			*Net Weight: 4.8kg (10.6lbs)		
			*Power supply cord: 5.0m (16.4ft)		
			*Lifetime Service Warranty		
<b>LOT 8</b>	<b>1</b>	<b>unit</b>	<b>MINI CHAINSAW</b>		
			36V slide Lithium-ion bat+C23:C42tery BSL3620 (2.0Ah) and Charger UC36YRSL		
			[Charging time: Approx. 60min.(BSL3620)]		
			Provides approx. 140 cuts per charge with BSL3620*1		
			***Continued on Next Page***		
				<b>TOTAL</b>	

**DELIVERY TERM:**  
**DELIVERY TIME:** DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)  
**PAYMENT TERM:** 30 Calendar Days Upon Receipt of Purchase Order (PO)

Very Truly Yours,

  
**ELIAZAR M. FIRMALO**  
A. O. III - Supply Officer II  
Mob. No.: 0933-3372203(Sun)  
Email: bacsec@mrc.pshs.edu.ph

Authorized Company  
Representative:

**PRICES IN THE ABOVE OFFER ARE CERTIFIED TRUE AND CORRECT:**

(Signature over Printed Name)

Company Name:

Address:

Mobile No., Tel. No.:

T.I.N.:

**IMPORTANT**

- Prices must be typewritten in ink clearly.
- If offering a substitute / equivalent, specify brand name and make



**REQUEST FOR QUOTATION**

Quotation No.:  
 Date:

<b>2019-02-PR014</b>
<b>1-Feb-19</b>

GENTLEMEN:

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.

**DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)**

In case of failure to make the full delivery / completion within the time specified as offered / required, the Supplier / Contractor shall be liable for liquidated damages / penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered / completed portion (s) of the approved P.O. / Contract.

ITEM #	QTY	UNIT	ITEM / DESCRIPTION	UNIT COST	TOTAL COST
<b>PRICES MUST BE TAX (VAT) INCLUSIVE</b>					
			Guide bar length 300mm		
			Compact top handle design for more control		
			Mechanical kick-back brake		
			Toolless chain adjuster		
			LED light		
			Oil tank with backlight to easily check the remaining chain oil		
			Chain oil flow adjuster		
			Soft grip handle		
			Convenient retractable hook		
			Battery Voltage: 36V		
			Guide Bar Length: 300mm (12")		
			Chain Speed: 8.3m/s		
			Type of Guide Bar: Sprocket Nose		
			Chain Pitch: 9.52mm (3/8")		
			Overall Length: 618mm (24-5/16")		
			Weight: 4.4kg (9.7lbs.) with BSL3620		
			Standard: Battery (BSL3620), Charger (UC36YRSL), Chain Case, Round File		
			Accessories: Chain Oil, Battery Cover		
<b>LOT 9</b>	<b>1</b>	<b>unit</b>	<b>MULTITESTER</b>		
			Digital Multimeter AC 1000V and DC1000V Temperature / Frequency Tester Meter DMM With Bag and TL75 Test Leads		
			Multiple functions with Auto / Manal ranges.		
			Large LCD display, 4,000 Counts update 3/sec		
			Main Measurements : Frequency, Temperature, AC/DC A-V-Ohm , capacitance, Diode & Continuity , duty cycle		
			Frequency :50Hz to 100Khz		
			Temperature :-55C to 400C		
			Capacitance :0.01nF to 100uF		
			AC Volts :0.1mV to 1,000V		
			DC Volts :0.1mV to 1,000V		
			AC Current :0.1uA to 10A		
			DC Current :0.1uA to 10A		
			Resistance :0.1 ohm to 40Mohm		
			Duty Cycle :0.1% to 99.9%		
			Data Hold Function		
			Both Auto range and Manual range Selectable		
			***Continued on Next Page***		
			<b>TOTAL</b>		

**DELIVERY TERM:**  
**DELIVERY TIME: DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)**  
**PAYMENT TERM: 30 Calendar Days Upon Receipt of Purchase Order (PO)**

Very Truly Yours,

  
**ELAZAR M. FIRMALO**  
 A. O. III - Supply Officer II  
 Mob. No.: 0933-3372203(Sun)  
 Email: bacsec@mrc.pshs.edu.ph

**PRICES IN THE ABOVE OFFER ARE CERTIFIED TRUE AND CORRECT:**

Authorized Company Representative: \_\_\_\_\_  
 (Signature over Printed Name)

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_

Mobile No., Tel. No.: \_\_\_\_\_  
 T.I.N.: \_\_\_\_\_

**IMPORTANT**  
 1. Prices must be typewritten in ink clearly.  
 2. If offering a substitute / equivalent , specify brand name and make



**REQUEST FOR QUOTATION**

Quotation No.:  
Date:

2019-02-PR014
1-Feb-19

GENTLEMEN:

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.

**DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)**

In case of failure to make the full delivery / completion within the time specified as offered / required, the Supplier / Contractor shall be liable for liquidated damages / penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered / completed portion (s) of the approved P.O. / Contract.

ITEM #	QTY	UNIT	ITEM / DESCRIPTION	UNIT COST	TOTAL COST
<b>PRICES MUST BE TAX (VAT) INCLUSIVE</b>					
			Overrange protection for all ranges		
			Polarity Indication : Indicates negative polarity		
			Overflow Indication		
			Sleep Mode / Auto Power off / Low Battery Indication		
			Major Specifications :		
			Frequency :50 / 500 / 5K /50K / 100KHz , +/- 0.1% + 3		
			Temperature :-55C to 400C , 2% to 9 % +/- 2C		
			Capacitance :50nF / 200nF / 2uF / 20uF / 200uF / 20mF , +/-2% +5		
			DC Volt :400mV / 4V / 40V / 400V / 1000V , +/-1.0% + 10		
			AC Volt :400mV / 4V / 40V / 400V / 1000V , +/- 3.0% + 3		
			DC Current :400uA / 4,000uA / 40mA / 400mA / 4A / 10A , +/- 1.5% + 3		
			AC Current :400uA / 4,000uA / 40mA / 400mA / 4A / 10A , +/- 1.5% + 3		
			Resistance :400 / 4K / 40K / 400K / 4M / 40M Ohm , +/- 0.5% + 3		
			Duty Cycle :0.1% to 99.9% , +/-1%		
			Continuity Test with Alert		
			Diode Test		
<b>LOT 10</b>	<b>1</b>	<b>unit</b>	<b>AIR COMPRESSOR (HEAVY DUTY)</b>		
			Features:		
			*Motor: 2 hp		
			*No. of Cylinder: 2		
			*Phase: 1		
			*Pressure: 115 psi		
			*Capacity: 88 liters		
			Includes:		
			3 sets of hose,		
			2 sets of 15 pc accessories set		
			2pcs 1/4" Female Plug Brass		
			2pcs 1/4" Male Plug Brass		
			2pcs 1/4" Quick Couplers Brass		
			Air Blow Gun		
			Inflation Needle		
			Tapered Inflation Brass		
			Inflation Needle Adaptor		
			1/4" x 25ft Air Hose		
			Female Connector Brass		
			Male Connector Brass		
			Tire Chuck Brass		
			***Continued on Next Page***		
			<b>TOTAL</b>		

**DELIVERY TERM:**  
**DELIVERY TIME: DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)**  
**PAYMENT TERM: 30 Calendar Days Upon Receipt of Purchase Order (PO)**

Very Truly Yours,

  
**ELJAZAR M. FIRMALO**  
A. O. III - Supply Officer II  
Mob. No.: 0933-3372203(Sun)  
Email: bacsec@mrc.pshs.edu.ph

Authorized Company  
Representative: \_\_\_\_\_

**PRICES IN THE ABOVE OFFER ARE CERTIFIED TRUE AND CORRECT:**

(Signature over Printed Name)

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_

Mobile No., Tel. No.: \_\_\_\_\_

T.I.N.: \_\_\_\_\_

**IMPORTANT**

- Prices must be typewritten in ink clearly.
- If offering a substitute / equivalent , specify brand name and make



**REQUEST FOR QUOTATION**

Quotation No.:  
Date:

**2019-02-PR014**  
**1-Feb-19**

GENTLEMEN:

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.


**DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)**

In case of failure to make the full delivery / completion within the time specified as offered / required, the Supplier / Contractor shall be liable for liquidated damages / penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered / completed portion (s) of the approved P.O. / Contract.

ITEM #	QTY	UNIT	ITEM / DESCRIPTION	UNIT COST	TOTAL COST
<i>PRICES MUST BE TAX (VAT) INCLUSIVE</i>					
<b>LOT 11</b>	<b>2</b>	<b>unit</b>	<b>GRASSCUTTER (HEAVY DUTY)</b>		
			Engine: GX35		
			Displacement: 35cc		
			Bore and Stroke: 39 x 30mm (1.5 x 1.2 in)		
			Max. power output: 1.2kW (1.6hp) @ 7000rpm		
			Max. torque output: 1.9N.m @5500rpm		
			Lubrication system: Rotary type (oil mist)		
			Oil capacity: 0.1 liters		
			Fuel tank capacity: 0.65 liters		
			Fuel type: Unleaded		
			Dimensions (LxWxH): 1,885 x 640 x 460 (mm)		
			Blade: 2 blade type		
			With anti-vibration		
			With goggles		
			With carrying harness		
			Handle type: Bike		
<b>LOT 12</b>	<b>1</b>	<b>unit</b>	<b>PRESSURE WASHER WITH AIR BLOWER &amp; VACUUM CLEANER</b>		
			Features: *Belt Driven (Heavy Duty)		
			*Electric Motor 1.5 Horse Power		
			*Piston Pump		
			*10m Discharge Hose		
			*2m Suction Hose		
			*2m Return Hose		
			*Sprayer Straight		
			Base:		
			2 sets of power sprayer hose with fittings (100m)		
			2 sets pressure washer nozzle		
			Includes:		
			<u>Air Blower</u>		
			*Ideal power-weight ratio		
			*Offers highest cleaning efficiency amongst its class		
			*Easy to service carbon brush		
			*Input Power (W): 620W		
			*No load speed: 16000 rpm		
			*Airflow rate: 3.5 m3/min		
			*Weight: 1.7kg		
			*Standard accessory: Nozzle		
			***Continued on Next Page***		
			<b>TOTAL</b>		

**DELIVERY TERM:**  
**DELIVERY TIME:** DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)  
**PAYMENT TERM:** 30 Calendar Days Upon Receipt of Purchase Order (PO)

Very Truly Yours,

  
**ELIAZAR M. FIMALO**  
A. O. II - Supply Officer II  
Mob. No.: 0933-3372203(Sun)  
Email: bacsec@mrc.pshs.edu.ph

Authorized Company  
Representative: \_\_\_\_\_

**PRICES IN THE ABOVE OFFER ARE CERTIFIED TRUE AND CORRECT:**

(Signature over Printed Name)

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_

Mobile No., Tel. No.: \_\_\_\_\_  
T.I.N.: \_\_\_\_\_

**IMPORTANT**

- Prices must be typewritten in ink clearly.
- If offering a substitute / equivalent, specify brand name and make



**REQUEST FOR QUOTATION**

Quotation No.:  
Date:

2019-02-PR014
1-Feb-19

GENTLEMEN:

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.

**DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)**

In case of failure to make the full delivery / completion within the time specified as offered / required, the Supplier / Contractor shall be liable for liquidated damages / penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered / completed portion (s) of the approved P.O. / Contract.

ITEM #	QTY	UNIT	ITEM / DESCRIPTION	UNIT COST	TOTAL COST
<i>PRICES MUST BE TAX (VAT) INCLUSIVE</i>					
			<b>Vacuum Cleaner</b>		
			*With Power Socket		
			*1100 Watts		
			*10 Liters		
			*Wet and Dry		
			*Nozzle		
<b>LOT 13</b>	<b>2</b>	<b>unit</b>	<b>VACUUM CLEANER</b>		
			Features:		
			*Corded / 18V X2 (36V) LXT Li-Ion Cordless 8 L Dust Class L		
			Vacuum Cleaner (Wet & Dry)		
			Powered by AC and two 18V Li-Ion batteries in series.		
			Powerful 1,050W motor generates 3.6 m³/min of Max air ow / 24 kPa of Max sealed suction / 320W of Suction power.		
			Two 18V LXT batteries generate 2.1 m³/min of Max air ow / 9 kPa of Max sealed suction / 70W of Suction power.		
			Delivers up to 65 min of run time using BL1850B.		
			*Continuous rating input: 1,600W		
			*Blade Diameter: 185-190mm (7-1/4" / 7-1/2")		
			*Max Cutting Capacity: 90° - 65-67mm		
			*No-load speed: 5,500 rpm		
			*Net weight: 4.0 kg (8.9lbs)		
			Inclusions:		
			Floor Nozzle, Corner Nozzle, Straight Pipe, Bent Pipe, Hose (38mm-2.5m), Plastic Dust Bag x10, Cloth Filter.		
			Lifetime Service Warranty		
<b>LOT 14</b>	<b>2</b>	<b>set</b>	<b>POWERTOOLS SET</b>		
			<b><u>A. Cordless Impact Drill/Driver</u></b>		
			Features:		
			Drive screws and drill in wood, steel and masonry		
			Flexibility in applications due to impact mechanism with single-sleeve keyless chuck for easy accessory changes and long runtime per battery charge for continuous operation		
			Torque, max. (hard screwdriving applications): 28 Nm		
			Torque, max. (soft screwdriving applications): 11 Nm		
			No-load speed (1st gear/2nd gear): 0-400/1300 rpm		
			Max. impact rate		
			With carrying case		
			GAL 1210 CV		
			2 x 1.5 Ah Li-Ion batteries		
			Chuck clamping range: 0,30-10 mm		
			Battery voltage: 12 V		
			***Continued on Next Page***		
<b>TOTAL</b>					

**DELIVERY TERM:**  
**DELIVERY TIME:** DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)  
**PAYMENT TERM:** 30 Calendar Days Upon Receipt of Purchase Order (PO)

Very Truly Yours,

  
**ELIAZAR M. RIMALO**  
A. O. II - Supply Officer II  
Mob. No.: 0933-3372203(Sun)  
Email: bacsec@mrc.pshs.edu.ph

Authorized Company  
Representative: \_\_\_\_\_

**PRICES IN THE ABOVE OFFER ARE CERTIFIED TRUE AND CORRECT:**

(Signature over Printed Name)

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_

Mobile No., Tel. No.: \_\_\_\_\_

T.I.N.: \_\_\_\_\_

**IMPORTANT**

- Prices must be typewritten in ink clearly.
- If offering a substitute / equivalent, specify brand name and make



**REQUEST FOR QUOTATION**

Quotation No.:  
Date:

2019-02-PR014
1-Feb-19

GENTLEMEN:

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.

**DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)**

*In case of failure to make the full delivery / completion within the time specified as offered / required, the Supplier / Contractor shall be liable for liquidated damages / penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered / completed portion (s) of the approved P.O. / Contract.*

ITEM #	QTY	UNIT	ITEM / DESCRIPTION	UNIT COST	TOTAL COST
<b>PRICES MUST BE TAX (VAT) INCLUSIVE</b>					
			Battery capacity: 1.5 Ah		
			Weight incl. battery: 1.1 kg		
			Charging time, approx. : 94 mins.		
			Torque settings: 20		
			Length: 188 mm		
			Width: 46mm		
			Height: 195 mm		
			Cell type: Lithium-ion		
			Toolholder: three-jaw chuck		
			Drilling Diameter		
			Max. drilling diameter in wood: 19 mm		
			Max. drilling diameter in steel: 6 mm		
			Max. drilling diameter in masonry: 8 mm		
			Max. screw diameter: 7 mm		
			<b>B. Orbital Sander</b>		
			Features:		
			Power: 240 W		
			Pad Size: 125mm (5")		
			Orbit per Minute: 12, 000		
			Weight: 1.1kg (2.4 lbs)		
			<b>C. Jig Saw</b>		
			Features:		
			450W Top Handle Jigsaw -3 Orbital Settings Plus Straight Cutting		
			Power: 450W		
			Capacity: Bayonet Type ( T-Type )		
			Stroke per Minute: 0-3000 spm		
			Net Weight: 1.9 kg (4.2 lbs)		
			<b>D. Plunge Router</b>		
			Features:		
			Heavy Duty Routing expert with powerful 1650W motor.		
			Power: 1,650W		
			Capacity: 12mm or 1/2"		
			Plunge capacity: 0-60mm		
			Base Diameter: 160 x 148mm		
			No-load speed: 22,000 rpm		
			Net weight: 5.5 kg		
			Lifetime Service Warranty		
			***Continued on Next Page***		
			<b>TOTAL</b>		

**DELIVERY TERM:**  
**DELIVERY TIME:** DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)  
**PAYMENT TERM:** 30 Calendar Days Upon Receipt of Purchase Order (PO)

Very Truly Yours,

  
**ELAZAR M. FIRMALO**  
A. Q. III - Supply Officer II  
Mob. No.: 0933-3372203(Sun)  
Email: bocsec@mrc.pshs.edu.ph

Authorized Company  
Representative: \_\_\_\_\_

**PRICES IN THE ABOVE OFFER ARE CERTIFIED TRUE AND CORRECT:**

(Signature over Printed Name)

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_

Mobile No., Tel. No.: \_\_\_\_\_  
T.I.N.: \_\_\_\_\_

**IMPORTANT**  
1. Prices must be typewritten in ink clearly.  
2. If offering a substitute / equivalent, specify brand name and make





**REQUEST FOR QUOTATION**

Quotation No.:  
 Date:

2019-02-PR014
1-Feb-19

GENTLEMEN:

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.

**DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)**

In case of failure to make the full delivery / completion within the time specified as offered / required, the Supplier / Contractor shall be liable for liquidated damages / penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered / completed portion (s) of the approved P.O. / Contract.

ITEM #	QTY	UNIT	ITEM / DESCRIPTION	UNIT COST	TOTAL COST
<i>PRICES MUST BE TAX (VAT) INCLUSIVE</i>					
			<b><u>E. Planer</u></b>		
			Features:		
			82mm power planer with excellent cost performance		
			High power-to-weight ratio for superior.		
			Ergonomic design for fatigue-free operation.		
			Can be installed disposal planer blades.		
			Power: 580W		
			Planing Width: 82mm (3-1 <sup>1</sup> / <sub>4</sub> )		
			Planing Depth: 1mm		
			No load speed: 16,000 rpm		
			Net Weight: 2.7 kg		
			Lifetime Service Warranty		
			<b><u>F. Table Saw</u></b>		
			Features:		
			Voltage frequency: 220v-60hz		
			Input power: 200w		
			No load speed: 550/min		
			Saw blade: (10") 250mm x 25.4mm		
			Cutting depth (max): 80mm/63mm		
			Table size: 94cmx64cm		
			Table Height: 83cm		
			<b><u>G. Circular Saw</u></b>		
			Features:		
			1,280 Watts Motor		
			7-1/4" Capacity		
			Lifetime Service Warranty		
<b>LOT 15</b>	<b>2</b>	<b>set</b>	<b>GARDENING TOOLS SET</b>		
			<b><u>A. Power-Lever Grass Shears</u></b>		
			Ideal for trimming a wide range of ornamental grasses		
			Power-Lever technology multiplies leverage to make cutting up to two times easier than single-pivot tools		
			Serrated blade grips and holds grass up for precise, clean cuts		
			Blade length: 5 inch		
			Lifetime		
			<b><u>B. Grip Weeder, Big</u></b>		
			Ideal for removing dandelions, thistles and other invasive weeds		
			Extra-large, ergonomically designed handle with Softgrip®		
			Curved head with forked tines provides plenty of leverage to easily pull the entire root free		
***Continued on Next Page***					
<b>TOTAL</b>					

**DELIVERY TERM:**  
**DELIVERY TIME:** DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)  
**PAYMENT TERM:** 30 Calendar Days Upon Receipt of Purchase Order (PO)

Very Truly Yours,

  
**ELIAZAR M. FIRMALO**  
 A. O. III - Supply Officer II  
 Mob. No.: 0933-3372203(Sun)  
 Email: bacsec@mrc.pshs.edu.ph

Authorized Company  
 Representative: \_\_\_\_\_

**PRICES IN THE ABOVE OFFER ARE CERTIFIED TRUE AND CORRECT:**

(Signature over Printed Name)

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_

Mobile No., Tel. No.: \_\_\_\_\_  
 T.I.N.: \_\_\_\_\_

**IMPORTANT**

- Prices must be typewritten in ink clearly.
- If offering a substitute / equivalent, specify brand name and make



**REQUEST FOR QUOTATION**

Quotation No.:  
 Date:

2019-02-PR014
1-Feb-19

GENTLEMEN:

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.


**DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)**

In case of failure to make the full delivery / completion within the time specified as offered / required, the Supplier / Contractor shall be liable for liquidated damages / penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered / completed portion (s) of the approved P.O. / Contract.

ITEM #	QTY	UNIT	ITEM / DESCRIPTION	UNIT COST	TOTAL COST
<b>PRICES MUST BE TAX (VAT) INCLUSIVE</b>					
			<i>Cast-aluminum head resists rust for lasting value</i>		
			<i>Durable design won't break while weeding</i>		
			<b>C. Non-Stick Softgrip Micro-Tip Pruning Snip</b>		
			<i>Make quick, precise cuts when deadheading, trimming and shaping small plants with easy-to-use pruning snips</i>		
			<i>Easy Action spring-action design gently opens blades after each cut to help reduce hand fatigue</i>		
			<i>Fully hardened, precision-ground stainless steel blades stay sharp, even through heavy use</i>		
			<i>Non-stick coating helps reduce jamming and buildup of sticky resin</i>		
			<i>Full lifetime</i>		
			<b>D. Power-Lever Anvil Pruner</b>		
			<i>Anvil blade design is ideal for pruning dry, dead growth when dead-heading flowers, stripping small logs or cutting back branches that died over the winter</i>		
			<i>Power-Lever technology maximizes leverage to make cutting up to two times easier than traditional tools</i>		
			<i>Razor-sharp, precision-ground blade cuts with less resi than thicker blades and stay sharp for lasting value</i>		
			<i>Cut capacity: 5/8 inch</i>		
			<i>Lifetime</i>		
			<b>E. Bypass Lopper</b>		
			<i>Ideal for cutting green, living growth like tree branches</i>		
			<i>Fully hardened, precision-ground blade stays sharp through heavy use</i>		
			<i>Rust-resistant, low-friction coating helps the blade glide through wood and prevents it from gumming up with sap and debris</i>		
			<i>Length: 28 inches with a cut capacity of 1-1/2 inch thick branch</i>		
			<b>F. All Steel Bypass Pruning Shears</b>		
			<i>Ideal for cutting stems and light branches</i>		
			<i>Fully hardened, precision-ground steel blade stays sharp, even through heavy use</i>		
			<i>Low-friction coating helps blade glide through wood, prevents the blades from gumming up with sap and debris and helps the blades resist rust</i>		
			<i>Maximum cutting capacity: 5/8 inch diameter</i>		
			<i>Lifetime</i>		
			<b>G. Extendable Pole Saw &amp; Pruner (7-12 Feet)</b>		
			<i>Quickly and easily cut high branches with a sturdy tree trimming system that extends up to 12 feet</i>		
			<i>Includes a precision-ground steel pruner for cutting smaller branches (up to 1 inch thick) and a 12 inch double-grind saw for removing larger branches</i>		
			<i>Secure double locking system ensures the extended pole stays put</i>		
			<i>Fiberglass poles are lightweight yet strong</i>		
			<b>H. 3-Piece Composite Garden Tool Set</b>		
			<b>I. 4.5 Inch Short Cut Snip</b>		
			<i>Ideal for precisely trimming thread, floss, yarn or other light materials</i>		
			<i>Precision-ground stainless-steel blades make clean cuts</i>		
			<i>Pointed tips offer control when trimming in tight spaces</i>		
			<i>Spring-action handle with finger loop makes cutting easy and comfortable</i>		
			***Continued on Next Page***		
			<b>TOTAL</b>		

**DELIVERY TERM:**  
**DELIVERY TIME:** DELIVERY WITHIN 20 WORKING DAYS UPON RECEIPT OF APPROVED PURCHASE ORDER (P.O)  
**PAYMENT TERM:** 30 Calendar Days Upon Receipt of Purchase Order (PO)

Very Truly Yours,

  
**ELAZAR M. FIRMALO**  
 A. O. III - Supply Officer II  
 Mob. No.: 0933-3372203(Sun)  
 Email: bacsec@mrc.pshs.edu.ph

Authorized Company  
 Representative: \_\_\_\_\_

**PRICES IN THE ABOVE OFFER ARE CERTIFIED TRUE AND CORRECT:**

(Signature over Printed Name)

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_

Mobile No., Tel. No.: \_\_\_\_\_

T.I.N.: \_\_\_\_\_

**IMPORTANT**

- Prices must be typewritten in ink clearly.
- If offering a substitute / equivalent, specify brand name and make

