

**PHILIPPINE SCIENCE HIGH SCHOOL SYSTEM**

**REQUEST FOR QUOTATION FORM & NOTICE  
(GOODS)**

Office/ Campus: MIMAROPA REGION CAMPUS  
Address/ Contact Details: BRGY. RIZAL, ODIONGAN, ROMBLON

Quotation No.: 2021-08-QN060  
Date : August 16, 2021

Project:

**SUPPLY AND DELIVERY OF PURIFYING AND DISINFECTING SUPPLIES FOR COA**

The PHILIPPINE SCIENCE HIGH SCHOOL SYSTEM - MIMAROPA REGION CAMPUS intends to apply the sum of **ONE HUNDRED NINETY FIVE THOUSAND PESOS ONLY (Php195,000.00)** being the Approved Budget for the Contract (ABC) to pay for the contract for the Project: **SUPPLY AND DELIVERY OF PURIFYING AND DISINFECTING SUPPLIES FOR COA**

**TERMS OF REFERENCE:**

1. The PSHS-MRC now invites qualified suppliers/manufacturers/dealers/service providers to submit price quotations for the above item with the following specifications:
  - 1.1 Please see attached request for quotation form.

**SUPPLY AND DELIVERY OF PURIFYING AND DISINFECTING SUPPLIES FOR COA**
2. Procurement will be conducted through one of the Alternative Modes of Procurement which is "Small Value Procurement" specified under RA 9184, and its Revised IRR, otherwise known as the "Government Procurement Reform Act".
3. Eligibility Requirements for Small Value Procurement are:
  - a.) Certificate of Registration
  - b.) Updated Mayor's Permit
  - c.) Updated DTI / SEC Registration
  - d.) Updated Quarterly Income Tax Return / Tax Clearance
  - e.) PhilGEPs Certificate of Membership / Registration or Snapshot of Registered Account in PhilGEPs
  - f.) Notarized Omnibus Sworn Statement
  - g.) Landbank Passbook Account and Snapshot of Account in Landbank System for Payment Purposes  
| Alternative is through Check Payment if Supplier has no Landbank Account
  - h.) Filled out Supplier's Information Sheet
4. Interested suppliers may obtain the Request for Quotation (RFQ) Form from the Finance and Administrative Division (FAD), PSHS-MRC c/o Mr. JEYOUPEE S. FERRERA, 0961-074-0071 (SMART), 0906-591-5253 (GLOBE) / bacsec@mrc.pshs.edu.ph on August 17 to August 20, 2021 from 8:00am – 5:00pm without cost.
5. The deadline for submission of duly accomplished RFQ Form and Eligibility Requirements (Open or Sealed) is on August 20, 2021, 2:00 pm. Suppliers are not required to attend the Opening of Quotations.
6. The winning supplier will be notified in writing or by phone or otherwise by the Head of the Procuring Entity (HOPE) subject to the provisions of RA 9184 and its Revised IRR.
7. The PSHS-MRC reserves the right to accept or reject any price offer, and to annul the procurement process and reject all offers at any time prior to contract award, without thereby incurring any liability to the affected supplier or suppliers.

\_\_\_\_\_  
JOANE C. DALISAY  
BAC Chairperson

**PHILIPPINE SCIENCE HIGH SCHOOL SYSTEM**

**REQUEST FOR QUOTATION FORM & NOTICE  
(GOODS)**

Office/ Campus: **MIMAROPA REGION CAMPUS**  
Address/ Contact Details: Brgy. Rizal, Odiongan, Romblon

Quotation No.:  
Date :

**2021-08-QN060**  
**August 16, 2021**

**GENTLEMEN:**

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.

Delivery will be Within twenty (20) calendar days upon Receipt of Purchase Order (PO).

In case of failure to make the full delivery/completion within the time specified as offered/required, the Supplier/Contractor shall be liable for liquidated damages/penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered/completed portion(s) of the approved P.O./Contract.

| Item #                                    | QTY | UNIT | ITEM/DESCRIPTION   | UNIT COST | TOTAL COST |
|---|-----|------|--|-----------|------------|
| <b>PRICES MUST BE Tax (VAT) INCLUSIVE</b> |     |      |  |           |            |
| Lot 1                                     | 20  | pc   | <b>Air Purifier</b>  |           |            |
|   |     |      | <b>Specifications:</b>   |           |            |
|   |     |      | Recommended area - Air Purifying: 23 sq.m .  |           |            |
|   |     |      | Recommended area for high-density Plasmacluster ions: 16 sq.m.   |           |            |
|   |     |      | Operation Modes: 3( Max / Med / Sleep)   |           |            |
|   |     |      | Voltage/frequency (V, Hz): 220-240, 50-60  |           |            |
|   |     |      | Standby Power (W): 1; Inverter Operation: No   |           |            |
|   |     |      | Dimension (WxHxD) mm: 431 x 411 x 211  |           |            |
|   |     |      | Net Weight (kg): 4   |           |            |
| 10  | pc  |      | <b>Wearable Air Purifier</b>   |           |            |
|   |     |      | <b>Specifications:</b>   |           |            |
|   |     |      | Power Source: Electrical   |           |            |
|   |     |      | Type: Negative Ion   |           |            |
|   |     |      | Installation: Portable, Necklace Wearable  |           |            |
|   |     |      | Capacity (CFM): 20   |           |            |
|   |     |      | Power (W): 1   |           |            |
|   |     |      | Voltage (V): 5   |           |            |
|   |     |      | Application: Home, Office, Ward of hospital, Car, Neck Wearable, Travelling  |           |            |
|   |     |      | Function: Release negative ions to remove Smoke, PM2.5   |           |            |
|   |     |      | Size: L80xW37xH24mm  |           |            |
|   |     |      | Power supply: Built-in Rechargeable Lithium battery  |           |            |
|   |     |      | Rechargeable: Rechargeable by USB  |           |            |
| 1   | pc  |      | <b>60W POWERFUL Multipurpose UV UVC Sterilizer Disinfection Ozone Lamp with Remote Control</b>   |           |            |
|   |     |      | <b>Specifications:</b>   |           |            |
|   |     |      | Hospital or Medical grade UV-C Ozone Germicidal Sterilizer. Eliminates 99.9 percent of airborne viruses, bacteria, allergens, molds, mites, other insects and their eggs and other pathogens. Emits ozone that sterilizes areas that UV-C does not reach (under furniture, areas blocked by furniture, cove lighting etc). Eliminates bad odor via UV-C and emitted ozone. |           |            |
|   |     |      | Absolutely effortless sterilization and disinfection.  |           |            |
|   |     |      | Covers big areas 75 square meters  |           |            |
|   |     |      | Frame is made of Nano Steel Frame (non oxidizing)  |           |            |
|   |     |      | 30 seconds start delay so operator can leave the exposed area.   |           |            |
|   |     |      | Easy 15 / 30 / 60 minutes timer mode.  |           |            |
|   |     |      | Made of High Quality materials, built to last, with Nano steel frame body Rubberized top frame to protect the bulb. Includes a remote control.   |           |            |
|   |     |      | Bulb Lifespan: Estimated 10,000 hours  |           |            |
|   |     |      | Area coverage: 75 square meters  |           |            |
|   |     |      | Voltage: 220V  |           |            |
|   |     |      | Material: Nano Steel Frame (non oxidizing)   |           |            |
|   |     |      | Dimension of lamp: Height: 22 inches, Base diameter: 7.25 inches   |           |            |
|   |     |      | *Please see attached photo reference for the items   |           |            |
|   |     |      | <b>***Nothing Follows***</b>   |           |            |
|   |     |      | <b>TOTAL COST</b>  |           |            |

Delivery Term :  
Delivery Time : **Delivery will be Within twenty (20) calendar days upon Receipt of Purchase Order (PO).**  
Payment Term : **30 Calendar Days Upon Receipt of Purchase Order (PO)**

Very truly yours,

**PRICES IN THE ABOVE OFFER ARE  
CERTIFIED TRUE AND CORRECT:**

  
**JEYOUPEE S. FERRERA**

Authorized Company  
Representative :

A.O - III / Supply Officer II  
Mob. No.: 0961-074-0071(Smart); 0912-691-3397(Globe)  
Email: bacsec@mrc.pshs.edu.ph

(Signature Over Printed Name)

Telefax:

**IMPORTANT**

- Prices must be typewritten in ink clearly.
- If offering a substitute/equivalent, specify the brand and make.

Company Name : \_\_\_\_\_  
Address : \_\_\_\_\_  
Telephone nos. : \_\_\_\_\_  
T.I.N. : \_\_\_\_\_