REQUEST FOR QUOTATION FORM & NOTICE (GOODS)

Office/ Campus: MIMAROPA REGION CAMPUS
Address/ Contact Details: BRGY. RIZAL, ODIONGAN, ROMBLON

Project Identification No.

Quotation No.:

2024-02-SVP002 2024-02-QN011

Date:

13-Feb-24

Project:

Supply and Delivery of Sound system for Auditorium

The PHILIPPINE SCIENCE HIGH SCHOOL SYSTEM - MIMAROPA REGION CAMPUS intends to apply the sum of FOUR HUNDRED THIRTY ONE THOUSAND FOUR HUNDRED PESOS ONLY (PhP431,400.00) being the Approved Budget for the Contract (ABC) to pay for the contract for the Project: Supply and Delivery of Sound system for Auditorium

TERMS OF REFERENCE:

- 1. The PSHS-MRC now invites qualified suppliers/manufacturers/dealers/service providers to submit price quotations for the above item with the following specifications:
 - 1.1 Please see attached request for quotation form.

Supply and Delivery of Sound system for Auditorium

Lot 1 = PhP431,400.00

TOTAL = PhP431,400.00

- 2. Procurement will be conducted through one of the Alternative Modes of Procurement which is "Small Value Procurement" specified under RA 9184, and its Revised IRR, otherwise known as the "Government Procurement Reform Act".
- 3. Eligibility Requirements for Small Value Procurement are:
 - a.) Updated Mayor's Permit
 - b.) Certificate of Registration
 - c.) Updated DTI / SEC Registration
 - d.) PhilGEPs Certificate of Membership / Registration or Snapshot of Registered Account in PhilGEPs
 - e.) Notarized Omnibus Sworn Statement (OSS)
 - f.) Landbank Passbook Account and Snapshot of Account in Landbank System for Payment Purposes
- | Alternative is through Check Payment if Supplier has no Landbank Account
- g.) Filled out Supplier's Information Sheet
- 4. Interested suppliers may obtain the Request for Quotation (RFQ) Form from the Finance and Administrative Division (FAD), PSHS-MRC c/o Ms. IVY MAY F. FAMATIGA, 0961-074-0071 (Smart), 0906-591-5253 (Globe) / bacsec@mrc.pshs.edu.ph on February 14, 2024 to February 18, 2024 from 8:00am 5:00pm and on February 19, 2024 from 8:00am 10:00am without cost.
- 5. The deadline for submission of duly accomplished RFQ Form (Open or Sealed) is on **February 19, 2024, 10:00am** Suppliers are not required to attend the Opening of Quotations.
- 6. The winning supplier will be notified in writing or by phone or otherwise by the Head of the Procuring Entity (HOPE) subject to the provisions of RA 9184 and its Revised IRR.
- 7. The PSHS-MRC reserves the right to accept or reject any price offer, and to annul the procurement process and reject all offers at any time prior to contract award, without thereby incurring any liability to the affected supplier or suppliers.

WOODRITZ F. RABINO
BAC Chairperson

REQUEST FOR QUOTATION FORM & NOTICE (GOODS)

Office/ Campus:	MIMAROPA REGION CAMPUS	
Address/ Contact Details: Brgy. Rizal, Odiongan, Rombion		

Project Identification No. 2024-02-SVP002
Quotation No.: 2024-02-QN011
Date: 13-Feb-2024

SIR/MADAM:

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.

Delivery will be within Thirty (30) calenday days upon receipt of Purchase Order (PO)

In case of failure to make the full delivery/completion within the time specified as offered/required, the Supplier/Contractor shall be liable for liquidated damages/penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered/completed portion(s) of the approved P.O./Contract.

, ,	.(4) =) 10 =	,,	,		
Item#	QTY	UNIT	ITEM/DESCRIPTION	UNIT COST	TOTAL COST
			PRICES MUST BE Tax (VAT) INCLUSIVE		
Lot 1			Supply and delivery of Sounds System for Auditorium		
	4	рс	15-inch Driver Active Powered Speaker		
			Amplifier: 700 Watts peak (350 Watts continuous) Class D power		
			Low-frequency: 15-inch (381 mm) LF driver, 2-inch (51 mm) voice coil		
			High-frequency: 1.0" (25 mm) titanium-diaphragm compression driver, 1.0" (25 mm) voice coil		
			Horn coverage: 90 H x 60 V horn delivers greater coverage		
			Frequency Response: 65 Hz – 20 kHz (-3 dB)		
			Crossover Frequency: 2.2 kHz		
			Max SPL: 121 dB @ 1 m		
			Equalization: Contour switch with low- and high-frequency +3 dB boost		
			Connectors:		
		ł	(1) XLR/TRS 1/4" (6.35 mm) balanced input (Line/Mic)		
		ł	(1) XLR output (Link)		
		<u> </u>	(1) IEC power cable input		
			Controls: Power switch, volume control knob, contour switch, ground- lift switch		
			Indicators: (2) power LEDs (1 front panel, 1 rear panel), clip limiter LED		
			Voltage: 100–120 V~, or 220–240 V~; 50/60 Hz		
			Fuse: 100–120V T6.3AL AC250V or 220–240V T3.15AL AC250V		
			Consumption: 350 W		
			Protection: Thermal, overload analog limiter/compressor		
			Enclosure: Injection-molded polypropylene, multi-angle for main or		
			monitor applications, metal grille, rubber feet, 2 handles (both sides)		
			Mounting/Installation: Standard 36 mm pole socket, wedge monitor Dimensions (height x width x depth): 24.9" x 15.2" x 14.6"		
		 	With 1-year warranty		
		 	SUB-TOTAL COST		
			Continue on next page		
			TOTAL		
Delive	ry Term	-			
	ry Time		very will be within Thirty (30) calenday days upon receipt of Purchase Order (PO)		
Paym	ent Term :	Fifte	een (15) days upon completion of delivery/service		
Very tr	Very truly yours, PRICES IN THE ABOVE OFFER ARE				
	CERTIFIED TRUE AND CORRECT:				
IVY MAY F. FAMATIGA Authorized Company					
A.O - V / Procurement Officer Representative : (Signature Over Printed Name)					
Mob. No.: 0961-074-0071 / 0906-591-5253 (Signature Over Printed Name) Email: bacsec@mrc.pshs.edu.ph					
Telefax:			· ·		
INAPORT		·	Company Name :		
1. Price		ypewritten ir	Address :		
			ralent, specify Telephone nos. :		
the	the brand and make. T.I.N. :				

REQUEST FOR QUOTATION FORM & NOTICE (GOODS)

		(******)
Office/ Campus:	MIMAROPA REGION CAMPUS	
Address/ Contact Details:	Brgy. Rizal, Odiongan, Romblon	

2024-02-SVP002 2024-02-QN011 Project Identification No. Quotation No.: 13-Feb-2024

SIR/MADAM:

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.

Delivery will be within Thirty (30) calenday days upon receipt of Purchase Order (PO)

In case of failure to make the full delivery/completion within the time specified as offered/required, the Supplier/Contractor shall be liable for liquidated damages/penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered/completed portion(s) of the approved P.O./Contract.

Item#	QTY	UNIT	ITEM/DESCRIPTION	UNIT COST	TOTAL COST	
			PRICES MUST BE Tax (VAT) INCLUSIVE			
			FORWARDED			
	4	рс	12-inch Driver Active Powered Speaker			
			mplifier: 700 watts (peak), 350 (continuous), Class D power			
			Low-Frequency: 12.0" (305 mm) driver, 2.0" (51 mm) voice coil			
			ligh-Frequency: 1.0" (25 mm) titanium-diaphragm compression driver,			
			1.0" (25 mm) voice coil			
			Horn Coverage: 90º horizontal x 60º vertical (nominal)			
			Frequency Response: 70 Hz – 20 kHz (-3 dB)			
			Crossover Frequency: 2.5 kHz			
			Max SPL: 120 dB @ 1 m			
			Equalization: Contour switch with low- and high-frequency +3 dB boost			
			Connectors:			
			(1) XLR/TRS 1/4" (6.35 mm) balanced input (Line/Mic)			
			(1) XLR output (Link)			
			(1) IEC power cable input			
			Indicators: (2) power LEDs (1 front panel, 1 rear panel), clip limiter LED			
			Voltage: 100–120 V~, or 220–240 V~; 50/60 Hz			
			Fuse: 100–120V T6.3AL AC250V or 220–240V T3.15AL AC250V			
			Consumption: 350 W			
			Protection: Thermal, overload analog limiter/compressor			
			Enclosure: Injection-molded polypropylene, multi-angle for main or			
			monitor applications, metal grille, rubber feet, 2 handles (both sides)			
			Mounting/Installation: Standard 36 mm pole socket, wedge monitor			
			Dimensions (height x width x depth): 23.7" x 15.0" x 13.5"			
			With 1-year warranty			
	2	рс	Single 18-Inch Active Powered Subwoofer			
			Subwoofer Type: Class D			
			18" Sub Bass			
			Low 4" Voice Coil			
			1000 Watts Power, 1200 Watts Amplifier			
			Low Pass Filter: 30Hz - 300Hz			
			8 ohms impedance, 99dB Sound Pressure Level			
			XLR Line Input/Output, Phase Adjust: 0° - 180°			
			Low Pass Filter: 30Hz - 300Hz			
			Dimensions: L75 X W63 X H148 CM			
			With 1-year warranty			
			SUB-TOTAL COST		1	
			Continue on next page TOTAL			
Delian	T		TOTAL			
	ery Term ery Time :		very will be within Thirty (30) calenday days upon receipt of Purchase Order (PO)			
-	ent Term :		een (15) days upon completion of delivery/service			
Very tr	ruly yours,		PRICES IN THE ABOVE O	OFFER ARE		
			CERTIFIED TRUE AND C	ORRECT:		
	an Zan	mahir/				
	IVY	MAY F. FA	MATIGA Authorized Company			
		V / Procuren				
	Mob. No.: 0	961-074-007	1 / 0906-591-5253 (Signature Over Printed	d Name)		
Telefax:	Email:	bacsec@mrc	.pshs.edu.ph			
			Company Name :			
IMPORT	ANT		Address :			
		ypewritten in				
		stitute/equivi make	Telephone nos. : T.I.N. :			
ine	the brand and make. T.I.N. :					

REQUEST FOR QUOTATION FORM & NOTICE (GOODS)

Office/ Campus:	MIMAROPA REGION CAMPUS	
ddress/ Contact Details: Brgy. Rizal, Odiongan, Romblon		

Project Identification No.

Quotation No.:

Date:

2024-02-SVP002 2024-02-QN011 13-Feb-2024

SIR/MADAM:

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.

Delivery will be within Thirty (30) calenday days upon receipt of Purchase Order (PO)

In case of failure to make the full delivery/completion within the time specified as offered/required, the Supplier/Contractor shall be liable for liquidated damages/penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered/completed portion(s) of the approved P.O./Contract.

Item#	QTY	UNIT	ITEM/DESCRIPTION	UNIT COST	TOTAL COST	
			PRICES MUST BE Tax (VAT) INCLUSIVE			
			FORWARDED			
	1	set	16-Channel Mixing Console w/ Effects			
			16-Channel Mixing Console			
			Max. 10 Mic / 16 Line Inputs (8 mono + 4 stereo)			
			"D-PRE" mic preamps with an inverted Darlington circuit			
			Computer Connectivity: USB (2 x 2)			
			Faders: 16 Faders			
			Inputs - Mic Preamps: 8 x XLR/TRS Combo, 2 x XLR, 4 x TRS			
			Phantom Power: +48V			
			Inputs - Line: 4 x TRS			
			Inputs - Other: 2 x RCA (Stereo)			
			Outputs - Main: 2 x XLR, 4 x TRS			
			Outputs - Direct: 4 x TRS			
			Outputs - Other: 1 x TRS (Footswitch)			
			1-knob compressor (Gain/Threshold/Ratio)			
			EQ Bands: 3-Band, Sweepable Mid			
			Effects: Yes			
			Aux Sends: 1 x Pre, 1 x Post/Pre, 2 x Post			
			Send/Return I/O: 4 x TRS (Send)			
			Busses/Groups: 4 x Groups			
			Headphones: 1 x 1/4"			
			Rackmountable: Yes			
			LED turns on when post EQ signal reaches 3 dB below clipping			
			Level Meter: 2x12 -segment LED meter [PEAK, +10, +6, +3, 0, -3, -6, -			
			10, -15, -20, -25, -30 dB]			
			Power: AC 100 – 240 V, 50 / 60 Hz, power consumption: 30W			
			With 1-year warranty			
	6	set	Heavy Duty Single Boom Microphone Stand			
			With a removable boom arm and its ability to fold flat, this stand is a			
			Heavy duty die-cast aluminum base			
			Steel tube body, Oversized height adjustment clutch			
			Two cable clips, 2 Mic Holder			
			SUB-TOTAL COST			
			Continue on next page			
			TOTAL			
Delive	ery Term					
	ery Time		very will be within Thirty (30) calenday days upon receipt of Purchase Order (PO)			
Paym	ent Term	Fifte	een (15) days upon completion of delivery/service			
Very tr	uly yours,		PRICES IN THE ABOVE O	OFFER ARE		
·			CERTIFIED TRUE AND (CORRECT:		
	·	hun ah h				
	- 4	MAY F. FA	AMATIGA Authorized Company			
		V / Procuren				
			1/0906-591-5253 (Signature Over Printe	ed Name)		
	Email:	bacsec@mrc	:.pshs.edu.ph			
Telefax:						
			Company Name :			
IMPORTA	ANT		Address :			
		pewritten in		-		
			alent, specify Telephone nos.:			
the brand and make. T.I.N. :						

REQUEST FOR QUOTATION FORM & NOTICE (GOODS)

Office/ Campus:	e/ Campus: MIMAROPA REGION CAMPUS	
Address/ Contact Details:	Brgy. Rizal, Odiongan, Romblon	

Project Identification No.

Quotation No.:

Date:

2024-02-SVP002	
2024-02-QN011	
13-Feb-2024	

SIR/MADAM:

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.

Delivery will be within Thirty (30) calenday days upon receipt of Purchase Order (PO)

In case of failure to make the full delivery/completion within the time specified as offered/required, the Supplier/Contractor shall be liable for liquidated damages/penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered/completed portion(s) of the approved P.O./Contract.

Item#	QTY	UNIT	ITEM/DESCRIPTION	UNIT COST	TOTAL COST	
			PRICES MUST BE Tax (VAT) INCLUSIVE			
			FORWARDED			
	4	set	Boom Microphone			
			Super cardioid electret condenser microphone			
			Unidirectional for long& short distance (selectable)			
			Sensitivity: Short distance-66 dB(1 v/mbar 1kHz), Long distance-50			
			dB(1 v/mbar 1kHz)			
			Frequency response:80 Hz-13 kHz			
			Power source: DC 1.5 AA type battery			
			S/N Ratio:120 dB			
	2	set	Professional Wireless Microphone System			
			A. OVERALL SYSTEM			
			Max. 10 Mic / 16 Line Inputs (8 mono + 4 stereo)			
			Operating Frequency: 520MHz~(optional)			
			Modulation Mode: FM			
			Maximum Deviation: +45			
			Frequency Response: 80Hz~15KHz (+3dB)			
			Image Rejection: <1%			
			B. 4 HANDHELD TRANSMITTER			
			Output Power: 8~30mW			
			Harmonic Interference Ratio: -50dB			
			Battery: 2pcs AA Type Battery			
			Cartridge: Dynamic			
			C. RECEIVER			
			Sensitivity: 12dBuV(80dB S/N)			
			Sensitivity Range: 12~32dBuV			
			Harmonic Interference Ratio: >75dB			
			Audio Output: Balanced: 0~0.5V/600 Audio Output:0~0.5V/5k			
			Power Supply: Connect Direct Power 12~14V			
			Current: 300mA			
			With 1-year warranty			
			SUB-TOTAL COST			
			Continue on next page			
			TOTAL			
Delive	ery Term	: <u></u>				
	ery Time		very will be within Thirty (30) calenday days upon receipt of Purchase Order (PO)			
Paym	ent Term	FITTE	een (15) days upon completion of delivery/service			
Very tr	uly yours,		PRICES IN THE ABOVE			
			CERTIFIED TRUE AND	CORRECT:		
	10	anata/				
	IVY	MAY F. FA	MATIGA Authorized Company			
	A.O -	V / Procuren				
Mob. No.: 0961-074-0071 / 0906-591-5253 (Signature Over Printed Name)						
Telefax:	Email:	bacsec@mrc	.pshs.edu.ph			
reielax.	TUCIDA.					
			Company Name :			
IMPORTA		manuales '	Address :			
		/pewritten in stitute/eauiv	alent, specify Telephone nos. :			
	brand and		T.I.N. :			

REQUEST FOR QUOTATION FORM & NOTICE (GOODS)

Office/ Campus:	MIMAROPA REGION CAMPUS	
Address/ Contact Details:	Brgy. Rizal, Odiongan, Romblon	

Project Identification No. 2024-02-SVP002

Quotation No.: 2024-02-QN011

Date: 13-Feb-2024

SIR/MADAM:

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.

Delivery will be within Thirty (30) calenday days upon receipt of Purchase Order (PO)

In case of failure to make the full delivery/completion within the time specified as offered/required, the Supplier/Contractor shall be liable for liquidated damages/penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered/completed portion(s) of the appropriate P.O./Contract

portion(s) of the approved P.O./Contract.						
Item#	QTY	UNIT	ITEM/DESCRIPTION	UNIT COST	TOTAL COST	
			PRICES MUST BE Tax (VAT) INCLUSIVE			
			FORWARDED			
	3	roll	Microphone cable			
			100m Heavy Duty Flexible Rubber Jacket	·		
			True Balanced Lo-Z Shielded Cable			
			High Grade 21AWG 3 Copper			
			Conductors (2 Hot & 1 Ground Shield)			
			igh Quality Noise Free Performance			
			reat for Studios, Pro Sound, & DJ's			
			Heavy duty: MFL. 3-Pin XLR Cable Connector Male and			
	20	set	Female pair			
	8	set	Heavy Duty Speaker Wall Mount			
			Load: 50kg max			
			Depth (from wall to pole): 310mm			
			Pole mount: 36mm			
			Wall Plate (WxH): 135 x 250mm			
			Swivel angle: 180°			
			Including nuts and bolts			
	4	set	PAR Light stand with metal tripod			
			Professional Lighting Stand with capacity to attach up to 4 lighting			
			fixtures			
			Nuts and Bolts included			
			Height: 3 Meters, Top bar height: 1.2m			
			Maximum Load Capacity: 50kg			
			SUB-TOTAL COST			
			Continue on next page			
			TOTAL			
Delive	ery Term	: <u></u>				
	ery Time		very will be within Thirty (30) calenday days upon receipt of Purchase Order (PO)			
Paym	ent Term	Fifte	en (15) days upon completion of delivery/service			
Very tr	uly yours,		PRICES IN THE ABOVE OF			
			CERTIFIED TRUE AND CO	ORRECT:		
	10	amadia/				
	IVY	MAY F. FA	MATIGA Authorized Company			
A.O - V / Procurement Officer		V / Procurem				
			1 / 0906-591-5253 (Signature Over Printed	i Name)		
T-1-6	Email:	bacsec@mrc	pshs.edu.ph			
reiefax:	Telefax:					
			Company Name :			
IMPORTA			Address :			
		pewritten in	ink clearly. alent, specify Telephone nos. :			
	brand and		T.I.N. :			
	the drawn white.					

REQUEST FOR QUOTATION FORM & NOTICE (GOODS)

Office/ Campus:	MIMAROPA REGION CAMPUS	
ddress/ Contact Details: Brgy. Rizal, Odiongan, Romblon		

Project Identification No. 2024-02-SVP002
Quotation No.: 2024-02-QN011
Date: 13-Feb-2024

SIR/MADAM:

May we request for quotation on materials enumerated hereunder. If you are interested and in a position to furnish the same, we shall be glad to have your best prices.

Delivery will be within Thirty (30) calenday days upon receipt of Purchase Order (PO)

In case of failure to make the full delivery/completion within the time specified as offered/required, the Supplier/Contractor shall be liable for liquidated damages/penalty of one-tenth (1/10) of one percent (1%) of the Contract Price per calendar day of delay minus the value of the delivered/completed portionals of the appropriate One of the delivered of the contract Price per calendar day of delay minus the value of the delivered/completed portionals of the appropriate One of the delivered of the contract Price per calendar day of delay minus the value of the delivered/completed portionals of the appropriate One of the delivered of the contract Price per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per calendar day of delay minus the value of the delivered/completed per

portio	n(s) of the	approved P.C	D./Contract.		
Item#	QTY	UNIT	ITEM/DESCRIPTION	UNIT COST	TOTAL COST
			PRICES MUST BE Tax (VAT) INCLUSIVE		
			FORWARDED		
	2	set	PAR Light controller		
			Control up to 192 DMX		
			30 banks, each composed of 8 Programmable scenes.		
			8 adjustable potentiometer to adjust the output size.		
			Built-in MIC head, and voice features.		
			Automatically trigger state, the TAP SYNC button or the SPEED		
			potentiometer to determine automatically trigger time.		
			MIDI interface, may at any time using the MIDI signal control		
			4 LED digital display		
			The first led digit shows CHASES, the second digit led shows SCENES		
			Third and fourth led digit shows BANKS		
			Second, third, and fourth led digits show steps 0-255 or TIME.		
			BLACK OUT function can be used manually or MIDI remote control.		
			Output delay function, the FADE TIME potentiometer to adjust		
			the delay time.		
			DMX output polarity selection.		
	20	set	54X3W RGBW LED PAR Light		
			Input voltage: AC90-245V/50-60Hz		
			Power: 60-175W		
			Light color: R, G, B, W		
			Light source: 3W High Brightness		
			LED (Red -12, Green -18, -18 blue, white -6)		
			Source life :100000 hours		
			Light body material: Aluminum		
			Lens angle: 25 degrees (45 can be customized)		
			Color: 16.7 million kinds of color change		
			Control: DMX512, master-slave control, self-propelled, voice		
			Features: 2 frame handle, can be self supporting, can be hung.		
			Nothing follows		
			TOTAL		
	ery Term				
	ery Time ent Term		ivery will be within Thirty (30) calenday days upon receipt of Purchase Order (PO) een (15) days upon completion of delivery/service		
rayiii	ent renn	. <u>FIIC</u>	een (13) aays apon completion of delivery, service		
Very truly yours, PRICES IN THE ABOVE O CERTIFIED TRUE AND C					
	4	durada			
IVY MAY F. FAMATIGA Authorized Company					
A.O - V / Procurement Officer Representative : Mob. No.: 0961-074-0071 / 0906-591-5253 (Signature Over Printed I				d Name)	
			c.pshs.edu.ph	a rame,	
Telefax:					
IMPORTA	ANT		Company Name : Address :		
1. Prices must be typewritten in ink clearly.					
2. If offering a substitute/equivalent, specify Telephone nos. :					
the brand and make. T.I.N. :					

15-inch Driver Active Powered Speaker & 12-inch Driver Active Powered Speaker





Single 18-inch Active Powered Subwoofer












Professional Wireless Microphone







Heavy Duty Speaker Wall Mount



PAR Light stand with metal tripod



PAR Light controller



PAR Light

